# **WEST Search History**



DATE: Wednesday, April 05, 2006

Hide?	Set Name	Query	Hit Count
	DB = USPT, USO	C,EPAB,JPAB,DWPI; THES=ASSIGNEE; PLU.	R=YES; OP=ADJ
	L10	L8 and crystal	187
	L9	L8 same crystal	17
	L8	protein kinase b or pkb	1446
	DB=PGPB; THE	ES=ASSIGNEE; PLUR=YES; OP=ADJ	
	L7	L6 same crystal	12
	L6	protein kinase b or pkb	997
	L5	L4 and crystal	19
	L4	AKT3	87
	DB=USPT, USO	C,EPAB,JPAB,DWPI; THES=ASSIGNEE; PLU	R=YES; OP=ADJ
	L3	L2 and crystal	2
	L2	AKT3	28
	DB=USPT; THE	S=ASSIGNEE; PLUR=YES; OP=ADJ	
	L1	AKT3	11

**END OF SEARCH HISTORY** 

# **Hit List**

First Hit Clear Generate Collection Print Fwd Refs Blawd Refs
Generate OACS

Search Results - Record(s) 1 through 28 of 28 returned.

☐ 1. Document ID: US 6960584 B2

Using default format because multiple data bases are involved.

L2: Entry 1 of 28

File: USPT

Nov 1, 2005

US-PAT-NO: 6960584

DOCUMENT-IDENTIFIER: US 6960584 B2

TITLE: Inhibitors of Akt activity

DATE-ISSUED: November 1, 2005

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Carling; William Robert Bishop Stortford GB
Castro Pineiro; Jose Luis Bishop Stortford GB
Moore; Kevin William Buntingford GB

US-CL-CURRENT: 514/247; 544/236

Full   Title   Citatio	on Front Review	Classification Date	Reference Sequences	Attachments Claims	KWMC   Drawu De

☐ 2. Document ID: US 6958334 B2

L2: Entry 2 of 28 File: USPT Oct 25, 2005

US-PAT-NO: 6958334

DOCUMENT-IDENTIFIER: US 6958334 B2

TITLE: Inhibitors of Akt activity

DATE-ISSUED: October 25, 2005

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Owens; Andrew Pate Huntingdon GB

Barnett; Stanley F. North Wales PA

US-CL-CURRENT: <u>514/248</u>; <u>544/234</u>

ABSTRACT:

Page 2 of 39

Record List Display

The present invention is directed to compounds comprising a triazolo[4,3-b] pyridazine moiety which inhibit the activity of Akt, a serine/threonine protein kinase. The invention is further directed to chemotherapeutic compositions containing the compounds of this invention and methods for treating cancer comprising administration of the compounds of the invention #\$STR1##

6 Claims, 0 Drawing figures Exemplary Claim Number: 1

Full Title Citation Front Review Cla	ssification Date Referen	ice   Sequences   Attachments	Claims KMC Draw.De
☐ 3. Document ID: US 69364	450 B2		
L2: Entry 3 of 28	File:	USPT	Aug 30, 2005

US-PAT-NO: 6936450

DOCUMENT-IDENTIFIER: US 6936450 B2

TITLE: Variants of protein kinases

DATE-ISSUED: August 30, 2005

INVENTOR - INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY
Levine; Zurit Herzliya IL

Bernstein; Jeanne Kfar Yona IL

US-CL-CURRENT: 435/194; 424/94.6, 530/350

#### ABSTRACT:

The present invention concerns nucleic acid sequences and amino acid sequences of dominant negative variants of kinases, i.e. of sequences which inhibit activity of kinases in a dominant manner. The invention also concerns pharmaceutical compositions and detection methods using these sequences.

3 Claims, 91 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 136

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMC	Draw. De
	4. D	ocume	nt ID:	US 69	05827 B2							
L2: E	ntry 4	1 of 2	8			I	File: US	PT		Jun	14,	2005

US-PAT-NO: 6905827

DOCUMENT-IDENTIFIER: US 6905827 B2

TITLE: Methods and compositions for diagnosing or monitoring auto immune and

Apr 19, 2005

chronic inflammatory diseases

DATE-ISSUED: June 14, 2005

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Wohlgemuth; Jay Palo Alto CA
Fry; Kirk Palo Alto CA
Woodward; Robert Pleasanton CA
Ly; Ngoc San Bruno CA

US-CL-CURRENT: 435/6; 435/7.1, 435/91.2

#### ABSTRACT:

Methods of diagnosing or monitoring an autoimmune or chronic inflammatory disease, particularly SLE in a patient by detecting the expression level of one or more genes or surrogates derived therefrom in the patient are described. Diagnostic oligonucleotides for diagnosing or monitoring chronic inflammatory disease, particularly SLE infection and kits or systems containing the same are also described.

9 Claims, 12 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 9

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Drawi De
	·									<del></del>		
	5.	Docume	nt ID:	US 68	81555 B2							

File: USPT

US-PAT-NO: 6881555

L2: Entry 5 of 28

DOCUMENT-IDENTIFIER: US 6881555 B2

TITLE: AKT nucleic acids, polypeptides, and uses thereof

DATE-ISSUED: April 19, 2005

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Guo; Kun Eagleville PA
Pagnoni; Marco F. Norristown PA
Clark; Kenneth L. Gilbertsville PA
Ivashchenko; Yuri D. Norristown PA

US-CL-CURRENT: 435/69.1; 435/174, 435/176, 435/177, 435/182, 435/320.1, 530/300, 530/350, 536/18.7, 536/22.1, 536/23.1, 536/23.2, 536/23.5

ABSTRACT:

Record List Display Page 4 of 39

The present invention relates to human  $\underline{Akt3}$  proteins and polypeptides. The invention also relates to isolated nucleic acids encoding human  $\underline{Akt3}$ , to vectors containing them and to their therapeutic uses, in particular for gene therapy. Expression of  $\underline{Akt3}$  inhibits cell death associated with hypoxia, apoptosis or necrosis.

50 Claims, 7 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 8

Full Title Citation Front	Review Classification	Date Reference	Sequences	Attachments	Claims	KWIC	Draw, De
☐ 6. Document ID:	TIC 6021175 D2						
0. Document id:	US 00311/3 DZ						
L2: Entry 6 of 28		File: US	PT		Dec	14,	2004

US-PAT-NO: 6831175

DOCUMENT-IDENTIFIER: US 6831175 B2

TITLE: Kinase inhibitors

DATE-ISSUED: December 14, 2004

### INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP	CODE	COUNTRY
Li; Qun	Libertyville	IL			
Woods; Keith W.	Libertyville	IL			
Zhu; Gui-Dong	Gurnee	IL			
Fischer; John P.	Longmont	CO			
Gong; Jianchun	Deerfield	IL			
Li; Tongmei	Waukegan	IL			
Gandhi; Virajkumar	Park City	IL			
Thomas; Sheela A.	Libertyville	IL			
Packard; Garrick K.	San Diego	CA			
Song; Xiaohong	Park City	IL			
Abrams; Jason N.	Des Plaines	IL			
Diebold; Robert B.	Waukegan	IL			
Dinges; Jurgen	Grayslake	IL			
Hutchins; Charles W.	Green Oaks	IL .			
Stoll; Vincent S.	Libertyville	IL			
Rosenberg; Saul H.	Grayslake	IL			
Giranda; Vincent L.	Gurnee	IL			

US-CL-CURRENT: <u>546/187</u>; <u>546/193</u>, <u>546/194</u>, <u>546/199</u>, <u>546/275.7</u>

#### ABSTRACT:

Compounds having the formula ##STR1##

are useful for inhibiting protein kinases. Also disclosed are compositions which

Record List Display Page 5 of 39

inhibit protein kinases and methods of inhibiting protein kinases in a patient.

21 Claims, 0 Drawing figures Exemplary Claim Number: 1

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw. De

☐ 7. Document ID: US 6809194 B1

L2: Entry 7 of 28

File: USPT

Oct 26, 2004

US-PAT-NO: 6809194

DOCUMENT-IDENTIFIER: US 6809194 B1

TITLE: Akt3 inhibitors

DATE-ISSUED: October 26, 2004

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Reinhard; Christoph Alameda CA Jefferson; Anne B. Oakland CA

US-CL-CURRENT: <u>536/24.5</u>; <u>435/325</u>, <u>435/366</u>, <u>435/375</u>, <u>435/6</u>, <u>435/91.1</u>, <u>536/24.3</u>, <u>536/24.31</u>, <u>536/24.33</u>

#### ABSTRACT:

Inhibitors of human  $\underline{Akt3}$ , including antisense oligonucleotides, methods, and compositions specific for human  $\underline{Akt3}$ , are provided. Methods of using the compositions for modulating  $\underline{Akt3}$  expression and for regulating cell growth, particularly tumor cell growth, are also provided.

5 Claims, 6 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 6

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KWIC Draw. De

□ 8. Document ID: US 6797859 B2

L2: Entry 8 of 28

File: USPT

Sep 28, 2004

US-PAT-NO: 6797859

DOCUMENT-IDENTIFIER: US 6797859 B2

TITLE: Vascular tissue preferred promoters

DATE-ISSUED: September 28, 2004

Record List Display Page 6 of 39

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Abbitt; Shane E. Ankeny IA Li; Chun Ping Johnston IA Niu; Xiaomu Johnston IA

US-CL-CURRENT: 800/287; 435/320.1, 435/419, 435/468, 536/24.1, 800/278, 800/279, 800/295, 800/317, 800/320

#### ABSTRACT:

The present invention provides compositions and methods for regulating expression of heterologous nucleotide sequences in a plant. Compositions include a novel nucleotide sequence for a vascular tissue-preferred promoter for the gene encoding prunasin hydrolase and sequences isolated therefrom. A method for expressing a heterologous nucleotide sequence in a plant using the promoter sequences disclosed herein is provided. The method comprises stably incorporating into the genome of a plant cell a nucleotide sequence operably linked to the vascular tissue-preferred promoter of the present invention and regenerating a stably transformed plant that expresses the nucleotide sequence.

19 Claims, 6 Drawing figures Exemplary Claim Number: 8 Number of Drawing Sheets: 6

Full Title Citation Front Review Classification Dat	e Reference Seguences Attachments C	laims KWIC Draw. De
☐ 9. Document ID: US 6743791 B2		
L2: Entry 9 of 28	File: USPT	Jun 1, 2004

US-PAT-NO: 6743791

DOCUMENT-IDENTIFIER: US 6743791 B2

TITLE: Heterocyclic inhibitors of ERK2 and uses thereof

DATE-ISSUED: June 1, 2004

INVENTOR-INFORMATION:

CITY STATE ZIP CODE COUNTRY NAME Cao; Jingrong Newton MA Green; Jeremy Burlington MA Hale; Michael Bedford MA Maltais; Francois Tewksbury MA Straub; Judy Cambridge MA Tang; Qing Cambridge MA Aronov; Alex Watertown MA

US-CL-CURRENT: <u>514/235.8</u>; <u>514/266.22</u>, <u>514/275</u>, <u>544/122</u>, <u>544/284</u>, <u>544/331</u>

ABSTRACT:

Described herein are compounds that are useful as protein kinase inhibitors having the formula: ##STR1##

wherein Z.sup.1 and Z.sup.2 are each independently nitrogen or CH and Ring A, T.sub.m R.sup.1, QR.sup.2, U.sub.n R.sup.3, and Sp are as described in the specification. The compounds are especially useful as inhibitors of ERK2 and for treating diseases in mammals that are alleviated by a protein kinase inhibitor, particularly diseases such as cancer, inflammatory disorders, restenosis, diabetes, and cardiovascular disease.

57 Claims, 0 Drawing figures Exemplary Claim Number: 1

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequiences	Attachmeds	Claims	KWIC	Draw, De
 				<del></del>								
	10.	Docume	ent ID	: US 6	649640 B2							

12. Entry 10 of 29

L2: Entry 10 of 28

File: USPT

Nov 18, 2003

US-PAT-NO: 6649640

DOCUMENT-IDENTIFIER: US 6649640 B2

TITLE: Isoxazole compositions useful as inhibitors of ERK

DATE-ISSUED: November 18, 2003

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Hale; Michael Bedford MA
Janetka; James Beverly MA
Maltais; Francois Somerville MA
Cao; Jingrong West Newton MA

US-CL-CURRENT: 514/378; 548/247

#### ABSTRACT:

Described herein are compounds that are useful as protein kinase inhibitors, especially inhibitors of ERK, having the formula: ##STR1## where A, B, R.sup.1, R.sup.2, T and Ht are described in the specification. The compounds are useful for treating diseases in mammals that are alleviated by a protein kinase inhibitor, particularly diseases such as cancer, inflammatory disorders, restenosis, and cardiovascular disease.

10 Claims, 0 Drawing figures Exemplary Claim Number: 1

Full	Title	Citation	Front	Review	Classification	Data	Rafaranca	Sequences	Attachments	Claima	KWIC	Drawi De
3 7 411	,,,,,	CILBRIOTI	1 10111	11501500	Classification	Vale	Maletellos	The state of the s	Control of the line	Claims	KOOLC	D12000 D1

Page 8 of 39

Record List Display

☐ 11. Document ID: US 6495582 B1

L2: Entry 11 of 28

File: USPT

Dec 17, 2002

US-PAT-NO: 6495582

DOCUMENT-IDENTIFIER: US 6495582 B1

\*\* See image for Certificate of Correction \*\*

TITLE: Isoxazole compositions useful as inhibitors of ERK

DATE-ISSUED: December 17, 2002

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Hale; Michael Bedford MA
Janetka; James Beverly MA
Maltais; Francois Tewksbury MA
Cao; Jingrong West Newton MA
Mashal; Robert West Newton MA

US-CL-CURRENT: 514/378; 548/247

#### ABSTRACT:

Described herein are compounds that are useful as protein kinase inhibitors, especially inhibitors of ERK, having the formula: ##STR1##

where A, B, R.sup.1, R.sup.2, T and Ht are described in the specification. The compounds are useful for treating diseases in mammals that are alleviated by a protein kinase inhibitor, particularly diseases such as cancer, inflammatory disorders, restenosis, and cardiovascular disease.

25 Claims, 0 Drawing figures Exemplary Claim Number: 1

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Altachments	Claims	KWIC	Draw. De
				: WO :	3091246 A	1						
L2: E	ntry	12 of	28				File:	EPAB		Nov	6,	2003

PUB-NO: WO003091246A1

DOCUMENT-IDENTIFIER: WO 3091246 A1

TITLE: PYRROLE DERIVATIVES AS INHIBITORS OF ERK2 AND USES THEREOF

PUBN-DATE: November 6, 2003

INVENTOR-INFORMATION:

NAME COUNTRY

HALE, MICHAEL R US
MALTAIS, FRANCOIS US

US TANG, QING US STRAUB, JUDITH US ARONOV, ALEXANDER

INT-CL (IPC):  $\underline{\text{C07}}$   $\underline{\text{D}}$   $\underline{\text{403}}/\underline{\text{04}}$ ;  $\underline{\text{C07}}$   $\underline{\text{D}}$   $\underline{\text{401}}/\underline{\text{14}}$ ;  $\underline{\text{C07}}$   $\underline{\text{D}}$   $\underline{\text{403}}/\underline{\text{14}}$ ;  $\underline{\text{C07}}$   $\underline{\text{D}}$   $\underline{\text{405}}/\underline{\text{14}}$ ;  $\underline{\text{C07}}$   $\underline{\text{D}}$   $\underline{\text{487}}/\underline{\text{04}}$ ;

A61 K 31/506; A61 P 35/00

EUR-CL (EPC): C07D401/14; C07D403/04, C07D405/14 , C07D405/14 , C07D471/04

#### ABSTRACT:

CHG DATE=20031203 STATUS=O>Described herein are compounds that are useful as protein kinase inhibitors having the formula: wherein A1, A2, TmR1, X, R2, R3, R9, R12, and R13 Are as described in the specification. The compounds are especially useful as inhibitors of ERK2, Aurora2, GSK3, CDK2, AKT3, and ROCK protein kinases and for treating diseases in mammals that are alleviated by a protein kinase inhibitor, particularly diseases such as cancer, neurodegenerative disorders, inflammatory disorders, restenosis, diabetes, and cardiovascular disease.

Full	Title	itation Front Review Classification Date Reference <b>Sequences Atsociments</b> Claims KWC Draw. D
	13.	Document ID: WO 2006022718 A1

L2: Entry 13 of 28

File: DWPI

Mar 2, 2006

DERWENT-ACC-NO: 2006-203936

DERWENT-WEEK: 200621

COPYRIGHT 2006 DERWENT INFORMATION LTD

TITLE: New Akt3 polypeptide crystal, useful for identifying therapeutic compounds for the treatment of Akt3 mediated diseases

INVENTOR: BUSSIERE, D; FANG, E; MURRAY, J

PRIORITY-DATA: 2004WO-US26569 (August 13, 2004)

PATENT-FAMILY:

PUB-NO PUB-DATE LANGUAGE PAGES MAIN-IPC C12N009/12 March 2, 2006 Е 228 WO 2006022718 A1

INT-CL (IPC): C12 N 9/12; G01 N 33/483

ABSTRACTED-PUB-NO: WO2006022718A

**BASIC-ABSTRACT:** 

NOVELTY - An Akt3 polypeptide crystal where the crystal is resolvable using X-ray crystallography to obtain X-ray patterns for three-dimensional structural determination of the Akt3 polypeptide, is new.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for:

(1) a co-crystal of an Akt3 polypeptide complexed to an Akt3 binding compound where the co-crystal is resolvable using X-ray crystallography to obtain X-ray patterns

for three dimensional structural determination of the Akt3 complex;

- (2) crystallizing an Akt3 polypeptide;
- (3) crystallizing an Akt3 polypeptide complexed to a compound;
- (4) evaluating the ability of a compound to associate with an Akt3 polypeptide;
- (5) identifying a compound capable of modifying Akt3 activity; and
- (6) a computer, for producing a three-dimensional representation of a molecule or molecular complex, comprising:
- (i) a machine-readable data storage medium comprising a data storage material encoded with machine-readable data, where the data comprises at least a portion of the atomic coordinates given in the specification,
- (ii) a working memory for storing instructions for processing the machine-readable data,
- (iii) a central-processing unit coupled to the working memory and to the machine-readable data storage medium for processing the machine readable data into the three-dimensional representation, and
- (iv) a means for displaying the three-dimensional representation; or a computer, for determining at least a portion of the atomic coordinates corresponding to an X-ray diffraction pattern of a molecule or molecular complex, comprising:
- (i) a machine-readable data storage medium comprising a data storage material encoded with machine-readable data, where the data comprises at least a portion of the atomic coordinates given in the specification,
- (ii) a machine-readable data storage medium comprising a data storage material encoded with machine-readable data, where the data comprises an X-ray diffraction pattern of the molecule or molecular complex,
- (iii) a working memory for storing instructions for processing the machine-readable data of (i) and (ii),
- (iv) a central-processing unit coupled to the working memory and to the machine-readable data storage medium of (i) and (ii) for performing a Fourier transform of the machine readable data of (i) and for processing the machine readable data of (ii) into structure coordinates, and
- (v) a display coupled to the central-processing unit for displaying the structure coordinates of the molecule or molecular complex.

ACTIVITY - Cytostatic.

No biological data given.

MECHANISM OF ACTION - Akt3-inhibitor.

USE - The crystal and method are useful for identifying compounds capable of modifying  $\underline{Akt3}$  activity (claimed), which may be useful for the treatment of  $\underline{Akt3}$  mediated diseases, such as cancer.

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw. De

## 14. Document ID: WO 2005120509 A1, US 20060009460 A1

L2: Entry 14 of 28

File: DWPI

Dec 22, 2005

DERWENT-ACC-NO: 2006-048036

DERWENT-WEEK: 200614

COPYRIGHT 2006 DERWENT INFORMATION LTD

TITLE: New quinoline and isoquinoline-based compounds for treating a disease e.g. Alzheimer's disease, stroke, diabetes, obesity, inflammation

INVENTOR: DICKSON, J K; HODGE, C N; WILLIAMS, K P

PRIORITY-DATA: 2004US-577224P (June 4, 2004), 2005US-0145562 (June 3, 2005)

PATENT-FAMILY:

 PUB-NO
 PUB-DATE
 LANGUAGE
 PAGES
 MAIN-IPC

 WO 2005120509 A1
 December 22, 2005
 E
 106
 A61K031/496

 US 20060009460 A1
 January 12, 2006
 000
 A61K031/501

INT-CL (IPC):  $\underline{A61}$   $\underline{K}$   $\underline{31/4709}$ ;  $\underline{A61}$   $\underline{K}$   $\underline{31/4725}$ ;  $\underline{A61}$   $\underline{K}$   $\underline{31/496}$ ;  $\underline{A61}$   $\underline{K}$   $\underline{31/501}$ ;  $\underline{C07}$   $\underline{D}$   $\underline{417/00}$ ;  $\underline{C07}$   $\underline{D}$   $\underline{417/14}$ 

ABSTRACTED-PUB-NO: WO2005120509A

BASIC-ABSTRACT:

NOVELTY - Quinoline and isoquinoline-based compounds (I) are new.

DETAILED DESCRIPTION - Quinoline and isoquinoline-based compounds of formula (I), their salts, solvates, chelates, non-covalent complexes and/or prodrugs are new.

Ar = optionally substituted (hetero)aryl;

either A = -N- and B=-CH- or A=-CH and B =-N-;

L = NR1 or O;

R1 = (cyclo)alkyl or heterocycloalkyl (all optionally substituted) or H;

X,Y = CH or N;

G = covalent bond or NR6;

R6 = H or optionally substituted alkyl;

R = optionally substituted heterocycloalkyl.

When Ar is phenyl, A is -N-, B is -CH-, L is NR1, R1 is H, X is CH, Y is CH and G is a covalent bond, then R is not 4-methylpiperazin-1-yl.

ACTIVITY - Nootropic; Neuroprotective; Cerebroprotective; Vasotropic; Antidiabetic; Anorectic; Antiinflammatory; Cytostatic; Antirheumatic; Antiarthritic; Antipsoriatic; Gastrointestinal-Gen.; Immunosuppressive; Virucide; CNS-Gen.; Antibacterial; Antiallergic; Antiasthmatic; Antiangiogenic; Cardiovascular-Gen.; Osteopathic; Ophthalmological; Antiulcer; Nephrotropic; Immunomodulator; Dermatological; Antiparkinsonian; Fungicide; Cardiant; Anti-HIV; Muscular-Gen.;

Record List Display Page 12 of 39

Antiseborrheic.

MECHANISM OF ACTION - Inhibitor of ATP-utilizing enzyme e.g. a human protein kinase. The ability of N-(4-(4-methylpiperazin-1-yl)phenyl)-6-phe- nylquinolin-4-amine (A) was determined using HTS ATP-utilizing enzyme assay and HTS protocol for developing and running HTS screen in a human protein kinase using the Caliper HTS 250 system. (A) Showed exhibited protein kinase inhibitory activity against MAPKAPK2, PRAK and p38- alpha.

USE - In the manufacture of a medicament for treating a disease e.g. Alzheimer's disease, stroke, diabetes, obesity, inflammation, cancer, Crohn's disease, rheumatoid arthritis, psoriasis and inflammatory bowel disease (claimed), autoimmunological, metabolic, infection, inflammatory disease, disease of central nervous system, degenerative neural disease, allergy/asthma, angiogenesis, neovascularization, vasculogenesis, cardiovascular disease, transplant rejection, osteoarthritis, multiple sclerosis, diabetic retinopathy, ulcerative colitis, renal disease, cachexia, septic shock, lupus, diabetes mellitus, myasthenia gravis, dermatitis, eczema, seborrhea, Parkinson's disease, stem cell protection during chemotherapy, leukemia e.g. myeloid leukemia, Kaposi's sarcoma, ocular disease, corneal disease, glaucoma, bacterial infection, viral infection, fungal infection, heart disease.

ADVANTAGE - The compound inhibits at east one ATP-utilizing enzyme e.g. a human protein kinase such as ABL1, AKT1, AKT2, AKT3, AURORA-A, MBX, c-TAK-1, CDK1, CDK1/cyclin B, CDK2/cyclinA, CDK2/cyclin E, CDK5, CHEK1, CHEK2, CHEK2, CK2, CSK, DAPK1, DYRK2, FLT-3, FYN, GSK- alpha, FSK- beta, HCK, INSR, KIT, LCK, LYNA, MAPKAPK2, MAPKAPK3, MSK1, MSK2, NEK2, p38- alpha, p38- beta, p38- delta, p38-gamma, p70S6K1, PAK2, PDGFR- alpha, PAK1, PKA, PRAK, ROCK2, SGK1, SRC, SYK, PIM-1-kinase, PDK-1 and RSK2.

Full Title Citation Front Review Class	sification Date Reference <b>Sequences</b>	Attachments Claims KMC Draw De
☐ 15. Document ID: WO 200	)5089443 A2, US 20050267060 A	<b>A1</b>
L2: Entry 15 of 28	File: DWPI	Sep 29, 2005

DERWENT-ACC-NO: 2005-649559

DERWENT-WEEK: 200604

COPYRIGHT 2006 DERWENT INFORMATION LTD

TITLE: Inducing apoptosis in a melanoma tumor cell, by reducing  $\underline{Akt3}$  activity through contacting a melanoma tumor cell with an agent that reduces  $\underline{Akt3}$  activity

INVENTOR: KESTER, M; ROBERTSON, G P; SANDIRASEGARANE, L; SHARMA, A

PRIORITY-DATA: 2004US-554509P (March 19, 2004), 2005US-0083583 (March 18, 2005)

PATENT-FAMILY:

 PUB-NO
 PUB-DATE
 LANGUAGE
 PAGES
 MAIN-IPC

 WO 2005089443 A2
 September 29, 2005
 E
 149
 A61K000/00

 US 20050267060 A1
 December 1, 2005
 000
 A61K048/00

INT-CL (IPC): A61 K 0/00; A61 K 48/00; C12 N 15/87; C12 N 15/88

ABSTRACTED-PUB-NO: WO2005089443A

Page 13 of 39 Record List Display

#### BASIC-ABSTRACT:

NOVELTY - Inducing apoptosis in a melanoma tumor cell comprises reducing Akt3 activity.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for treating a melanoma tumor in a mammal, and a pharmaceutical composition for treating a melanoma tumor comprising an agent that reduces Akt3 activity and a carrier.

ACTIVITY - Cytostatic.

No biological data given.

MECHANISM OF ACTION - Gene Therapy.

USE - The methods are useful for inducing apoptosis in a melanoma tumor cell and treating a melanoma tumor in a mammal.

CTREATER	Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De
						·							
	П	16.	Docur	nent II	D: US	200501872	19 A 1	. WO 200	05082908	A 1			

L2: Entry 16 of 28 File: DWPI

Aug 25, 2005

DERWENT-ACC-NO: 2005-616512

DERWENT-WEEK: 200563

COPYRIGHT 2006 DERWENT INFORMATION LTD

TITLE: New pyrazolo(1,5-a)triazine derivatives useful for treating e.g. viral infections, leukemia, cancer and Kaposi's sarcoma

INVENTOR: GUZI, T J; PARUCH, K

PRIORITY-DATA: 2004US-547685P (February 25, 2004), 2005US-0064044 (February 23, 2005)

PATENT-FAMILY:

PUB-NO PUB-DATE LANGUAGE PAGES MAIN-IPC US 20050187219 A1 August 25, 2005 045 A61K031/53 WO 2005082908 A1 September 9, 2005 Ε 000 C07D487/04

INT-CL (IPC):  $\underline{A61}$   $\underline{K}$   $\underline{31/53}$ ;  $\underline{A61}$   $\underline{P}$   $\underline{35/00}$ ;  $\underline{C07}$   $\underline{D}$   $\underline{487/04}$ 

ABSTRACTED-PUB-NO: US20050187219A BASIC-ABSTRACT:

NOVELTY - Pyrazolo(1,5-a)triazine derivatives (I), their salts, solvates or esters

DETAILED DESCRIPTION - Pyrazolo(1,5-a)triazine derivatives of formula (I), their salts, solvates or esters are new.

R1 = (cyclo)alkyl, (hetero)aryl, heteroarylalkyl, arylalkyl, or cycloalkylalkyl (all optionally substituted with T, (hetero)aryl or heterocyclyl), H or NR6R7;

Page 14 of 39

R2 = (cyclo)alkyl, alkenyl, alkynyl, trifluoromethyl, -OR7, -SR7, hydroxyalkyl,
haloalkyl, halo, CN, (hetero)aryl, formyl, nitro, (hetero)aralkylcarbonyl,
alkylcarbonyl or -alkylene-N(R8R9);

R8, R9 = H or alkyl;

NR8R9 = a 5-7 membered heterocycle;

R3 = piperidinyl, pyrrolidinyl (both substituted n times by R10), piperazinyl (substituted at 4-position by R5 and at other positions n times by R10), N-containing heterocycle of formula (i), -NR4R5, H, alkyl, (ar)alkylthio, alkylsulfinyl or aralkylsulfinyl;

R4 = (cyclo)alkyl or heterocyclyl (both optionally mono- to tetra-substituted with T, hydroxymethyl, hydroxyethyl or hydroxypropyl);

R6 = H, alkyl or aryl;

R7 = H or alkyl;

R10 = T or hydroxyalkyl;

T = halo, alkyl, trifluoromethyl, OR6, NR6R7, SR6, SO2R6, CN, SO2N(R6R7) or NO2;

R5 = H, alkyl, aryl, heteroaryl, arylalkyl, cycloalkyl, heterocyclyl, acyl or heteroarylalkyl; and

n = 0 - 4.

Provided that

- (1) when R2 is 1-4C alkyl and R5 is H, then R4 is other than 1-4C alkyl;
- (2) when R2 is halo, CN, formyl, nitro, alkylcarbonyl, (hetero)aralkylcarbonyl or -alkylene-N(R8R9), then R3 is other than H, (ar)alkylthio, (ar)alkylsulfinyl or -NR4R5 and n is other than 0; and
- (3) when R2 is (cyclo)alkyl, alkenyl or alkynyl, then R3 is other than NH(methyl), N,N(dimethyl), NH(acetyl) or N(methyl)(acetyl).

INDEPENDENT CLAIMS are included for the following:

- (1) treating at least one disease associated with kinase involving administering to mammal, (I) and at least one anti-cancer agent; and
- (2) a pharmaceutical composition (c1) comprising (I) and at least one carrier.

ACTIVITY - Cytostatic; Anti-HIV; Virucide; Antiinflammatory; Dermatological; Immunosuppressive; Nephrotropic; Antiarthritic; Antirheumatic; Antipsoriatic; Gastrointestinal-Gen.; Antidiabetic; Neuroprotective; Nootropic; Antiparkinsonian; Antianemic; Cardiant; Cerebroprotective; Antiarrhythmic; Antiarteriosclerotic; CNS-Gen.; Respiratory-Gen.; Osteopathic; Analgesic.

MECHANISM OF ACTION - Protein Kinase (preferably cyclin dependent kinase-1 (CDK1) CDK2, CDK3, CDK4 or CDK5; mitogen activated protein kinase (MAPK/ERK) or glycogen synthase kinase 3 (GSK3 beta), checkpoint kinase-1 (CHK-1), CHK-2, Aurora A - C, AKT1, AKT2 or AKT3) inhibitor; Apoptosis modulator. Kinase activity was determined by performing in vitro CDK2 kinase assay (either cyclin A or E dependent) using 5-((8-ethyl-2-((S)-2-(2-hydroxy-ethyl)-piperidin-1-yl)-pyrazolo(1,5-a)(1,-3,5) triazin-4-ylamino)methyl)-1-methyl-1H-pyridin-2-one (Ia). Recombinant baculoviruses

Record List Display Page 15 of 39

expressing cyclins A, E and CDK2 are infected into SF9 cells. IC50 value of (Ia) was 0.00048 mu M.

USE - For inhibiting at least one kinase; or treating at least one disease (e.g. cancer of the bladder, breast, colon, kidney, liver, lung, small cell lung cancer, esophagus, gall bladder, ovary, pancreas, stomach, cervix, thyroid, prostate, and skin including squamous cell carcinoma; leukemia, acute lymphocytic leukemia, acute lymphoblastic leukemia, beta -cell lymphoma, T-cell lymphoma, Hodgkins lymphoma, non-Hodgkins lymphoma, hairy cell lymphoma and Burkett's lymphoma; acute and chronic myelogenous leukemia, myelodysplastic syndrome and promyelocytic leukemia; fibrosarcoma, rhabdomyosarcoma; astrocytoma, neuroblastoma, glioma and schwannomas; melanoma, seminoma, teratocarcinoma, osteosarcoma, xenoderoma pigmentosum, keratoctanthoma, thyroid follicular cancer and Kaposi's sarcoma) associated with the kinase (claimed); also for treatment of viral infections (including but not limited to herpevirus, poxvirus, Epstein-Barr virus, Sindbis virus and adenovirus), prevention of AIDS development in HIV-infected individuals, autoimmune diseases (including systemic lupus erythematous, autoimmune mediated glomerulonephritis, rheumatoid arthritis, psoriasis, inflammatory bowel disease, and autoimmune diabetes mellitus), neurodegenerative disorders (including Alzheimer's disease, AIDS-related dementia, Parkinson's disease, amyotrophic lateral sclerosis, retinitis pigmentosa, spinal muscular atrophy and cerebellar degeneration), myelodysplastic syndromes, aplastic anemia, ischemic injury associated with myocardial infarctions, stroke and reperfusion injury, arrhythmia, atherosclerosis, toxin-induced or alcohol related liver diseases, hematological diseases (including chronic anemia and aplastic anemia), degenerative diseases of the musculoskeletal system (including osteoporosis and arthritis) aspirin-sensitive rhinosinusitis, cystic fibrosis, multiple sclerosis, kidney diseases and cancer pain.

ADVANTAGE - The pyrazolo(1,5-a)triazine derivatives are excellent CDK2 inhibitors.

Full Title Citation	Front Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,						
□ 10 D	ID ED	1621540 46		000400	(105.40				
□ 17. Docum	nent ID: EP	1631548 AZ	2, WC	2004090	5135 A2				
L2: Entry 17 of	28			File:	DWPI		Mar	8,	2006

DERWENT-ACC-NO: 2004-813791

DERWENT-WEEK: 200618

COPYRIGHT 2006 DERWENT INFORMATION LTD

TITLE: New substituted pyridines useful for treating cancer, a non-malignant disease, restenosis, inflammation, allergy/asthma

INVENTOR: DUGGAN, M; HARTNETT, J; LINDSLEY, C; WU, Z; ZHAO, Z; DUGGAN, M E; HARTNETT, J C; LINDSLEY, C W

PRIORITY-DATA: 2003US-465125P (April 24, 2003)

PATENT-FAMILY:

 PUB-NO
 PUB-DATE
 LANGUAGE
 PAGES
 MAIN-IPC

 EP 1631548 A2
 March 8, 2006
 E
 000
 C07D213/02

 WO 2004096135 A2
 November 11, 2004
 E
 058
 A61K000/00

INT-CL (IPC): A61 K 0/00; A61 K 31/44; C07 D 213/02

ABSTRACTED-PUB-NO: WO2004096135A BASIC-ABSTRACT: NOVELTY - A substituted pyridine, its salt and their stereoisomers are new. DETAILED DESCRIPTION - A substituted pyridine of formula (I), its salt and their stereoisomers are new. a,b,r,s = 0 or 1;m, p = 0 - 2;q, n = 0 - 3;t = 2 - 6;R1 = T or G (in which the alkyl, aryl, alkenyl, alkynynl, heterocycle or cycloalkyl are optionally substituted by Rz); T = (C=0) aOb-1-10C alkyl, (C=0) aOb-aryl, 2-10C alkenyl, 2-10C alkynyl, (C=0)aObheterocyclyl, (C=O)aOb-3-8C cycloalkyl, CO2H, halo, CN, OH, Ob-1-6C perfluoroalkyl, Oa(C=O)bNR6R7, S(O)mRa, S(O)2NR6R7, oxo, CHO, O(C=O)Ob-1-10C alkyl, O(C=O)Ob-3-8C cycloalkyl, OC(=O)Obaryl, O(C=O)Ob-heterocycle or Oa-P=O(OH)2; G = NRc(C=O)NR6R7, NRcS(O)mRa, NO2 or, NRc(C=O)ObRa; R2 = G, (C=O)aOb-1-10C alkyl, (C=O)aOb-aryl, 2-10C alkenyl, 2-10C alkynyl, (C=O) aOb-heterocyclyl, (C=O)aOb-3-8C cycloalkyl, CO2H, halo, CN, OH, Ob-1-6C perfluoroalkyl, Oa(C=O)bNR6R7, S(O)mRa, S(O)2NR6R7, CHO, O(C=O)Ob-1-10C alkyl, O (C=0)Ob-3-8C cycloalkyl, OC(=0)Obaryl, O(C=0)Ob-heterocycle or Oa-P=O(OH)2 (in which the alkyl, aryl, alkenyl, alkynynl, heterocycle or cycloalkyl are optionally mono- - tri-substituted by Rz); R3,R4 = H or 1-6C (perfluoro)alkyl; R3+R4 = -(CH2)t- (in which one of the carbon atoms is optionally replaced by O, S (O)m, -N(Rb)C(O) - or -N(CORa); R5 = (C=0)aOb-1-10C alkyl, (C=0)aOb-aryl, 2-10C alkenyl, 2-10C alkynyl, (C=0) aObheterocyclyl, (C=O)aOb-3-8C cycloalkyl, CO2H, halo, CN, OH, Ob-1-6C

R5 = (C=0)aOb-1-10C alkyl, (C=0)aOb-aryl, 2-10C alkenyl, 2-10C alkynyl, (C=O) aObheterocyclyl, (C=O)aOb-3-8C cycloalkyl, CO2H, halo, CN, OH, Ob-1-6C perfluoroalkyl, Oa(C=O)bNR6R7, S(O)mRa, S(O)2NR6R7, oxo, CHO, O(C=O)Ob-1-10C alkyl, O(C=O)Ob-3-8C cycloalkyl, Oa-P=O(OH)2, NRc(C=O)NR6R7, NRcS(O)mRa or NO2 (in which the alkyl, aryl, alkenyl, alkynynl, heterocycle or cycloalkyl are optionally substituted by Rz);

R6,R7 = H, (C=O)ObRa, 1-10C alkyl, aryl, 2-10C alkenyl, 2-10C alkynyl, heterocyclyl, 3-8C cycloalkyl, SO2Ra, (C=O)N(Rb)2, OH or Oa-P=O(OH)2 (in which the alkyl, aryl, alkenyl, alkynynl, heterocycle or cycloalkyl are optionally substituted by Rz);

Ra = 1-6C alkyl, 2-6C alkenyl, 2-6C alkynyl, 3-6C cycloalkyl, aryl, heterocyclyl (all optionally substituted), 1-6C perfluoroalkyl or 2,2,2-trifluoroethyl;

Rb = aryl, benzyl, heterocyclyl (all optionally substituted), H, 1-6C alkyl, 3-6C cycloalkyl, (C=0)0-1-6C alkyl, (C=0)-1-6C alkyl or S(0)2Ra;

Rc = H, 1-10C alkyl, aryl, 2-10C alkenyl, 2-10C alkynyl, heterocyclyl, 3-8C cycloalkyl or 1-6C perfluoroalkyl (in which the alkyl, aryl, alkenyl, alkynynl, heterocycle or cycloalkyl are optionally substituted by Rz);

Record List Display Page 17 of 39

Rz = (C=0)rOs(1-10C)alkyl, Or(1-3C)perfluoroalkyl, (0-6C)alkylene-S(0)mRa, oxo, OH, halo, CN, (C=0)rOs(2-10C)alkenyl, (C=0)rOs(2-10C)alkynyl, (C=0)rOs(3-6C) cycloalkyl, (C=0)rOs(0-6C)alkylene-aryl, (C=0)rOs(0-6C)alkylene-heterocyclyl, (C=0)rOs(0-6C)alkylene-N(Rb)2, C(0)Ra, (0-6C)alkylene-CO2Ra, C(0)H, (0-6C)alkylene-CO2H, C(0)N(Rb)2, S(0)mRa, S(0)2N(Rb)2, NRc(C=0)ObRa, O(C=0)Ob-1-10C alkyl, O(C=0)Ob-3-8C cycloalkyl, O(C=0)Obaryl, O(C=0)Ob-heterocycle or Oa-P=O(OH)2 (in which the (cyclo)alkyl, alkenyl, alkynyl, aryl or heterocyclyl are optionally mono- --tri-substituted by Rb, OH, 1-6C alkoxy, halogen, CO2H, CN, O(C=O)-1-6C alkyl, oxo, N (Rb)2 or Oa-P=O(OH)2).

INDEPENDENT CLAIMS are included for the following:

- (a) a pharmaceutical composition comprising a carrier in which (I) is dispersed; and
- (b) treating cancer involving (I) in combination with radiation therapy.

ACTIVITY - Cytostatic; Anti-HIV; Ophthalmological; Antidiabetic; Antiarteriosclerotic; Vulnerary; Antiarthritic; Antipsoriatic; Anorectic; Neuroprotective; Nootropic; Vasotropic; Antiinflammatory; Immunosuppressive; Antiallergic; Antiasthmatic.

MECHANISM OF ACTION - Inhibitor of isoforms of Serine/threonine protein kinase, Akt; Tumor cell metastasis inhibitor; Inhibitor of growth of blood vessels.

The compounds (I) were tested in PKC assay and were found to be have IC50 value of at most 50 mu M against at least one of Akt1, Akt2 and Akt3. No results for specific compounds are given.

USE - For treating cancer, non-malignant disease, hyperproliferative disease e.g. restenosis, inflammation, autoimmune diseases and allergy/asthma and hyperinsulinism (claimed), kaposi's sarcoma, Hodgkin's disease, keloids, psoriasis, adrenal glands, ocular neovascular diseases, diabetic retinopathy, retinal vascularization, age-related macular degeneration, atherosclerosis, arthritis, obesity, Alzheimer's disease.

ADVANTAGE - The compounds selectively inhibit isoforms of Serine/threonine kinase or Akt.

Full Title Citation Front	Review Classification	Date Reference	Sequences	Attachments	Claims	KWIC	Draw, De
				_		,	

□ 18. Document ID: EP 1622616 A2, WO 2004096131 A2

L2: Entry 18 of 28 File: DWPI

Feb 8, 2006

DERWENT-ACC-NO: 2004-813790

DERWENT-WEEK: 200611

COPYRIGHT 2006 DERWENT INFORMATION LTD

TITLE: New substituted pyridine derivatives useful for treating e.g. cancer, atherosclerosis, arthritis, psoriasis, obesity and Alzheimer's disease, are inhibitors of protein kinases

INVENTOR: BILODEAU, M; DUGGAN, M; HARTNETT, J; LINDSLEY, C; WU, Z; ZHAO, Z; BILODEAU, M T; DUGGAN, M E; HARTNETT, J C; LINDSLEY, C W

PRIORITY-DATA: 2003US-465260P (April 24, 2003)

Record List Display Page 18 of 39

PATENT-FAMILY:

 PUB-NO
 PUB-DATE
 LANGUAGE
 PAGES
 MAIN-IPC

 EP 1622616 A2
 February 8, 2006
 E
 000
 A61K031/445

 WO 2004096131 A2
 November 11, 2004
 E
 064
 A61K000/00

INT-CL (IPC): A61 K 0/00; A61 K 31/445; C07 D 401/00; C07 D 401/14

ABSTRACTED-PUB-NO: WO2004096131A BASIC-ABSTRACT:

NOVELTY - Substituted pyridine derivatives (I) are new.

DETAILED DESCRIPTION - Substituted pyridine derivatives of formula (I), their salts and stereoisomers are new.

a,b,r,s = 0 or 1; m,p = 0 - 2; n,q = 0 - 3; t = 2 - 6;

N' = N-containing heterocyclic (attached to C(R3)(R4) via N);

Q = 1-6C alkyl, aryl or heterocyclyl (all optionally substituted by 1-3 Rz), halo or -NR6R7;

R1 = T', G, -N=CHN(Rb)2 or 1-6C alkyl(C=NRb)N(Rb)2 (in which the alkyl, aryl, alkenyl, alkynynl, heterocycle or cycloalkyl are optionally substituted by Rz);

T' = (C=0) aOb-1-10C alkyl, (C=0) aOb-aryl, 2-10C alkenyl, 2-10C alkynyl, (C=0) aObheterocyclyl, (C=0) aOb-3-8C cycloalkyl, CO2H, halo, CN, OH, Ob-1-6C perfluoroalkyl, Oa(C=0) bNR6R7, S(0) mRa, S(0) 2NR6R7, oxo, CHO, O(C=0) Ob-1-10C alkyl, O(C=0) Ob-3-8C cycloalkyl, OC(=0) Obaryl, O(C=0) Ob-heterocycle or Oa-P=O(OH) 2;

G = NRc(C=O)NR6R7, NRcS(O)mRa, NO2, NRc(C=O)ObRa;

R2 = G, (C=O)aOb-1-10C alkyl, (C=O)aOb-aryl, 2-10C alkenyl, 2-10C alkynyl, (C=O) aObheterocyclyl, (C=O)aOb-3-8C cycloalkyl, CO2H, halo, CN, OH, Ob-1-6C perfluoroalkyl, Oa(C=O)bNR6R7, S(O)mRa, S(O)2NR6R7, CHO, O(C=O)Ob-1-10C alkyl, O (C=O)Ob-3-8C cycloalkyl, OC(=O)Obaryl, O(C=O)Ob-heterocycle or Oa-P=O(OH)2 (in which the alkyl, aryl, alkenyl, alkynynl, heterocycle or cycloalkyl are optionally substituted by 1-3 Rz);

R3,R4 = H or 1-6C (perfluoro)alkyl; or

R3+R4 = -(CH2)t- (in which one of the carbon atoms is optionally replaced by O, S (O)m, -N(Rb)C(O)- or -N(CORa));

R5 = (C=O)aOb-1-10C alkyl, (C=O)aOb-aryl, 2-10C alkenyl, 2-10C alkynyl, (C=O) aObheterocyclyl, (C=O)aOb-3-8C cycloalkyl, CO2H, halo, CN, OH, Ob-1-6C perfluoroalkyl, Oa(C=O)bNR6R7, S(O)mRa, S(O)2NR6R7, oxo, CHO, O(C=O)Ob-1-10C alkyl, O(C=O)Ob-3-8C cycloalkyl, Oa-P=O(OH)2, NRc(C=O)NR6R7, NRcS(O)mRa or NO2 (in which the alkyl, aryl, alkenyl, alkynynl, heterocycle or cycloalkyl are optionally substituted by Rz);

R6,R7 = H, (C=O)ObRa, 1-10C alkyl, aryl, 2-10C alkenyl, 2-10C alkynyl, heterocyclyl, 3-8C cycloalkyl, SO2Ra, (C=O)N(Rb)2, OH or Oa-P=O(OH)2 (in which the

Record List Display Page 19 of 39

alkyl, aryl, alkenyl, alkynynl, heterocycle or cycloalkyl are optionally substituted by Rz); or

NR6+R7 = monocyclic or bicyclic 4-7-membered heterocycle and optionally containing at least one additional heteroatoms of N, O and S (both optionally substituted by Rz):

Ra = 1-6C alkyl, 2-6C alkenyl, 2-6C alkynyl, 3-6C cycloalkyl, aryl, heterocyclyl (all optionally substituted), 1-6C perfluoroalkyl or 2,2,2-trifluoroethyl;

Rb = aryl, benzyl, heterocyclyl (all optionally substituted), H, 1-6C alkyl, 3-6C cycloalkyl, (C=0)0-1-6C alkyl, (C=0)-1-6C alkyl or S(0)2Ra;

Rc = H, 1-10C alkyl, aryl, 2-10C alkenyl, 2-10C alkynyl, heterocyclyl, 3-8C cycloalkyl or 1-6C perfluoroalkyl (in which the alkyl, aryl, alkenyl, alkynynl, heterocycle or cycloalkyl are optionally substituted by Rz); and

Rz = (C=0)rOs(1-10C)alkyl, Or(1-3C)perfluoroalkyl, (0-6C)alkylene-S(0)mRa, oxo, OH, halo, CN, (C=0)rOs(2-10C)alkenyl, (C=0)rOs(2-10C)alkynyl, (C=0)rOs(3-6C) cycloalkyl, (C=0)rOs(0-6C)alkylene-aryl, (C=0)rOs(0-6C)alkylene-heterocyclyl, (C=0)rOs(0-6C)alkylene-N(Rb)2, C(0)Ra, (0-6C)alkylene-CO2Ra, C(0)H, (0-6C)alkylene-CO2H, C(0)N(Rb)2, S(0)mRa, S(0)2N(Rb)2, NRc(C=0)ObRa, O(C=0)Ob-1-10C alkyl, O(C=0)Ob-3-8C cycloalkyl, O(C=0)Obaryl, O(C=0)Ob-heterocycle or Oa-P=O(OH)2 (in which the (cyclo)alkyl, alkenyl, alkynyl, aryl or heterocyclyl are optionally substituted by 1-3 Rb, OH, 1-6C alkoxy, halogen, CO2H, CN, O(C=0)-1-6C alkyl, oxo, N(Rb)2 or Oa-P=O(OH)2).

INDEPENDENT CLAIMS are included for the following:

- (1) a pharmaceutical composition comprising a carrier in which (I) is dispersed; and
- (2) treatment of cancer involving administering (I) in combination with a radiation therapy.

ACTIVITY - Cytostatic; Anti-HIV; Ophthalmological; Antidiabetic; Antiarteriosclerotic; Antiarthritic; Antipsoriatic; Anorectic; Neuroprotective; Nootropic; Vasotropic; Antiinflammatory; Immunosuppressive; Antiallergic; Antiasthmatic.

MECHANISM OF ACTION - Inhibitor of isoforms of Serine/threonine protein kinase, Akt; Tumor cell metastasis inhibitor; Inhibitor of growth of blood vessels. The compounds (I) were tested in PKC assay and were found to be have IC50 value of at most 50 mu M against at least one of Akt1, Akt2 and Akt3. No results for specific compounds are given.

USE - For treating cancer (claimed) including Kaposi's sarcoma and Hodgkin's disease; non-malignant disease including ocular diseases (e.g. retinal vascularization, diabetic retinopathy and age-related macular degeneration), atherosclerosis, arthritis, psoriasis, obesity and Alzheimer's disease; hyperproliferative disease (e.g. restenosis, inflammation, autoimmune diseases and allergy/asthma); and hyperinsulinism.

ADVANTAGE - The compounds selectively inhibit one or two of the Akt isoforms. The compounds exhibit a decrease in, in vitro inhibitory activity or no in vitro inhibitory activity against truncated Akt proteins lacking PH domain.

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw, De

19. Document ID: EP 1620095 A2, WO 2004096130 A2 L2: Entry 19 of 28 File: DWPI Feb 1, 2006 DERWENT-ACC-NO: 2004-813789 DERWENT-WEEK: 200612 COPYRIGHT 2006 DERWENT INFORMATION LTD TITLE: New pyrazolo(3,4-b)pyridine derivatives, useful for treating e.q. cancer, restenosis, inflammation, allergies, asthma, autoimmune diseases, hyperinsulinism, psoriasis and diabetic retinopathy, are protein kinase inhibitors INVENTOR: BILODEAU, M; WU, Z; BILODEAU, M T PRIORITY-DATA: 2003US-465123P (April 24, 2003) PATENT-FAMILY: PUB-NO PUB-DATE LANGUAGE PAGES MAIN-IPC EP 1620095 A2 February 1, 2006 000 A61K031/44 Ε WO 2004096130 A2 November 11, 2004 062 A61K000/00 INT-CL (IPC): A61 K 0/00; A61 K 31/44; C07 D 471/00; C07 D 471/14; C07 D 471/16 ABSTRACTED-PUB-NO: WO2004096130A **BASIC-ABSTRACT:** NOVELTY - Pyrazolo(3,4-b)pyridine derivatives (I) are new. DETAILED DESCRIPTION - Pyrazolo(3,4-b)pyridine derivatives of formula (I) and their salts and stereoisomers are new. a,b,r,s = 0 or 1;m, p = 0 - 2;q, n = 0 - 3;t = 2 - 6;X, Y', Z' = C, N, S or O (provided that one of them is N, S or O);Q = aryl or heterocyclyl (both optionally substituted by 1-3 Rz), or -NR6R7; N' = N-containing heterocyclyl (bonded to C(R3)(R4) via N); R1 = T' or G (in which the alkyl, aryl, alkenyl, alkynynl, heterocycle or cycloalkyl are optionally substituted by Rz); T' = H, (C=O)aOb-1-10C alkyl, (C=O)aOb-aryl, 2-10C alkenyl, 2-10C alkynyl, (C=O) aObheterocyclyl, (C=O)aOb-3-8C cycloalkyl, CO2H, halo, CN, OH, Ob-1-6C perfluoroalkyl, Oa(C=O)bNR6R7, S(O)mRa, S(O)2NR6R7, oxo, CHO, O(C=O)Ob-1-10C alkyl, O(C=O)Ob-3-8C cycloalkyl, OC(=O)Obaryl, O(C=O)Ob-heterocycle or Oa-P=O(OH)2; G = NRc(C=O)NR6R7, NRcS(O)mRa, NO2 or, NRc(C=O)ObRa; R2 = G, (C=0)aOb-1-10C alkyl, (C=0)aOb-aryl, 2-10C alkenyl, 2-10C alkynyl, (C=O)

aOb-heterocyclyl, (C=O)aOb-3-8C cycloalkyl, CO2H, halo, CN, OH, Ob-1-6C perfluoroalkyl, Oa(C=O)bNR6R7, S(O)mRa, S(O)2NR6R7, CHO, O(C=O)Ob-1-10C alkyl, O (C=O)Ob-3-8C cycloalkyl, OC(=O)Obaryl, O(C=O)Ob-heterocycle or Oa-P=O(OH)2 (in which the alkyl, aryl, alkenyl, alkynynl, heterocycle or cycloalkyl are optionallysubstituted by 1-3 Rz);

R3, R4 = H or 1-6C (perfluoro)alkyl; or

R3+R4 = -(CH2)t- (in which one of the carbon atoms is optionally replaced by O, S (O)m, -N(Rb)C(O)- or -N(CORa));

R5 = H, (C=O)aOb-1-10C alkyl, (C=O)aOb-aryl, 2-10C alkenyl, 2-10C alkynyl, (C=O) aObheterocyclyl, (C=O)aOb-3-8C cycloalkyl, CO2H, halo, CN, OH, Ob-1-6C perfluoroalkyl, Oa(C=O)bNR6R7, S(O)mRa, S(O)2NR6R7, oxo, CHO, O(C=O)Ob-1-10C alkyl, O(C=O)Ob-3-8C cycloalkyl, Oa-P=O(OH)2, NRc(C=O)NR6R7, NRcS(O)mRa or NO2 (in which the alkyl, aryl, alkenyl, alkynynl, heterocycle or cycloalkyl are optionally substituted by Rz);

R6, R7 = H, (C=O)ObRa, 1-10C alkyl, aryl, 2-10C alkenyl, 2-10C alkynyl, heterocyclyl, 3-8C cycloalkyl, SO2Ra, (C=O)N(Rb)2, OH or Oa-P=O(OH)2 (in which the alkyl, aryl, alkenyl, alkynynl, heterocycle or cycloalkyl are optionally substituted by Rz); or

NR6R7 = monocyclic or bicyclic 4-7-membered heterocycle and optionally containing at least one additional heteroatoms of N, O and S (both optionally substituted by Rz);

Ra = 1-6C alkyl, 2-6C alkenyl, 2-6C alkynyl, 3-6C cycloalkyl, aryl, heterocyclyl (all optionally substituted), 1-6C perfluoroalkyl or 2,2,2-trifluoroethyl;

Rb = aryl, benzyl, heterocyclyl (all optionally substituted), H, 1-6C alkyl, 3-6C cycloalkyl, (C=0)0-1-6C alkyl, (C=0)-1-6C alkyl or S(0)2Ra;

Rc = 1-10C alkyl, aryl, 2-10C alkenyl, 2-10C alkynyl, heterocyclyl, 3-8C cycloalkyl or 1-6C perfluoroalkyl (in which the alkyl, aryl, alkenyl, alkynynl, heterocycle or cycloalkyl are optionally substituted by Rz);

Rz = (C=O)rOs(1-10C)alkyl, Or(1-3C)perfluoroalkyl, (0-6C)alkylene-S(O)mRa, oxo, OH, halo, CN, (C=O)rOs(2-10C)alkenyl, (C=O)rOs(2-10C)alkynyl, (C=O)rOs(3-6C) cycloalkyl, (C=O)rOs(0-6C)alkylene-aryl, (C=O)rOs(0-6C)alkylene-heterocyclyl, (C=O)rOs(0-6C)alkylene-N(Rb)2, C(O)Ra, (0-6C)alkylene-CO2Ra, C(O)H, (0-6C)alkylene-CO2H, C(O)N(Rb)2, S(O)mRa, S(O)2N(Rb)2, NRc(C=O)ObRa, O(C=O)Ob-1-10C alkyl, O(C=O)Ob-3-8C cycloalkyl, O(C=O)Obaryl, O(C=O)Ob-heterocycle or Oa-P=O(OH)2 (in which the (cyclo)alkyl, alkenyl, alkynyl, aryl or heterocyclyl are optionally mono- --tri-substituted by Rb, OH, 1-6C alkoxy, halogen, CO2H, CN, O(C=O)-1-6C alkyl, oxo, N (Rb)2 or Oa-P=O(OH)2); and

--- = optional double bond.

INDEPENDENT CLAIMS are included for the following:

- (a) a pharmaceutical composition comprising a carrier in which (I) is dispersed; and
- (b) treating cancer involving (I) in combination with radiation therapy.

ACTIVITY - Cytostatic; Anti-HIV; Ophthalmological; Antidiabetic; Antiarteriosclerotic; Vulnerary; Antiarthritic; Antipsoriatic; Anorectic; Neuroprotective; Nootropic; Vasotropic; Antiinflammatory; Immunosuppressive; Antiallergic; Antiasthmatic.

MECHANISM OF ACTION - Inhibitor of isoforms of Serine/threonine protein kinase, Akt; Tumor cell metastasis inhibitor; Inhibitor of growth of blood vessels.

The compounds (I) were tested in PKC assay and were found to be have IC50 value of at most 50 mu M against at least one of Akt1, Akt2 and  $\underline{Akt3}$ . No results for specific compounds are given.

USE - For treating cancer, non-malignant disease, hyperproliferative disease e.g. restenosis, inflammation, autoimmune diseases and allergy/asthma and hyperinsulinism (all claimed), Kaposi's sarcoma, Hodgkin's disease, keloids, psoriasis, adrenal glands, ocular neovascular diseases, diabetic retinopathy, retinal vascularization, diabetic retinopathy, age-related macular degeneration, atherosclerosis, arthritis, obesity, Alzheimer's disease.

ADVANTAGE - The compounds selectively inhibit isoforms of Serine/threonine kinase or Akt.

Full Title Citation Front Review	Classification Date Reference Sequences	Attachments Claims KWC Draw De
☐ 20. Document ID: EP 1	1620411 A2, WO 2004096129 A2	
L2: Entry 20 of 28	File: DWPI	Feb 1, 2006

DERWENT-ACC-NO: 2004-813788

DERWENT-WEEK: 200612

COPYRIGHT 2006 DERWENT INFORMATION LTD

TITLE: New heterocyclic triazine derivatives useful for treating cancer, a non-malignant disease, restenosis, inflammation, allergy/asthma

INVENTOR: BILODEAU, M; LINDSLEY, C; ZHAO, Z; BILODEAU, M T; LINDSLEY, C W

PRIORITY-DATA: 2003US-465124P (April 24, 2003)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
EP 1620411 A2	February 1, 2006	E	000	C07D253/00
WO 2004096129 A2	November 11, 2004	E	064	A61K000/00

INT-CL (IPC): A61 K 0/00; A61 K 31/53; A61 P 35/00; C07 D 253/00; C07 D 253/06

ABSTRACTED-PUB-NO: WO2004096129A BASIC-ABSTRACT:

NOVELTY - Heterocyclic triazine derivatives (I), their salts and stereoisomers are new.

DETAILED DESCRIPTION - Heterocyclic triazine derivatives of formula (I), their salts and stereoisomers are new.

```
W-Y = CR1=N, N=CR1, C(=0)-NR'1 or R'1N-C(=0);
a,b,r,s = 0 or 1;
```

```
m, p = 0 - 2;
q = 0 - 3;
t = 2 - 6;
```

Q = aryl or heterocyclyl (both optionally mono- - tri-substituted by Rz), H or - NR6R7;

R1 = T or G (in which the alkyl, aryl, alkenyl, alkynynl, heterocycle or cycloalkyl are optionally substituted by Rz);

T = H, (C=O) aOb-1-10C alkyl, (C=O) aOb-aryl, 2-10C alkenyl, 2-10C alkynyl, (C=O) aObheterocyclyl, (C=O) aOb-3-8C cycloalkyl, CO2H, halo, CN, OH, Ob-1-6C perfluoroalkyl, Oa(C=O) bNR6R7, S(O) mRa, S(O) 2NR6R7, oxo, CHO, O(C=O) Ob-1-10C alkyl, O(C=O) Ob-3-8C cycloalkyl, OC(=O) Obaryl, O(C=O) Ob-heterocycle or Oa-P=O(OH) 2;

R'1 = T (in which the alkyl, aryl, alkenyl, alkynynl, heterocycle or cycloalkyl are optionally substituted by Rz);

G = NRc(C=O)NR6R7, NRcS(O)mRa, NO2, NRc(C=O)ObRa;

R2 = G, (C=0)a0b-1-10C alkyl, (C=0)a0b-aryl, 2-10C alkenyl, 2-10C alkynyl, (C=0) a0bheterocyclyl, (C=0)a0b-3-8C cycloalkyl, CO2H, halo, CN, OH, Ob-1-6C perfluoroalkyl, Oa(C=0)bNR6R7, S(0)mRa, S(0)2NR6R7, CHO, O(C=0)0b-1-10C alkyl, O (C=0)0b-3-8C cycloalkyl, OC(=0)0baryl, O(C=0)0b-heterocycle or Oa-P=O(OH)2 (in which the alkyl, aryl, alkenyl, alkynynl, heterocycle or cycloalkyl are optionally mono- - tri-substituted by Rz);

R3,R4 = H or 1-6C (perfluoro) alkyl;

R3+R4 = -(CH2)t- (in which one of the carbon atoms is optionally replaced by O, S (O)m, -N(Rb)C(O)- or -N(CORa));

R5 = H, (C=O)aOb-1-10C alkyl, (C=O)aOb-aryl, 2-10C alkenyl, 2-10C alkynyl, (C=O) aObheterocyclyl, (C=O)aOb-3-8C cycloalkyl, CO2H, halo, CN, OH, Ob-1-6C perfluoroalkyl, Oa(C=O)bNR6R7, S(O)mRa, S(O)2NR6R7, oxo, CHO, O(C=O)Ob-1-10C alkyl, O(C=O)Ob-3-8C cycloalkyl, Oa-P=O(OH)2, NRc(C=O)NR6R7, NRcS(O)mRa or NO2 (in which the alkyl, aryl, alkenyl, alkynynl, heterocycle or cycloalkyl are optionally substituted by Rz);

R6,R7 = H, (C=0)ObRa, 1-10C alkyl, aryl, 2-10C alkenyl, 2-10C alkynyl, heterocyclyl, 3-8C cycloalkyl, SO2Ra, (C=O)N(Rb)2, OH or Oa-P=O(OH)2 (in which the alkyl, aryl, alkenyl, alkynynl, heterocycle or cycloalkyl are optionally substituted by Rz);

NR6+R7 = monocyclic or bicyclic 4- - 7-membered heterocycle and optionally containing at least one additional heteroatoms of N, O and S (both optionally substituted by Rz);

Ra = 1-6C alkyl, 2-6C alkenyl, 2-6C alkynyl, 3-6C cycloalkyl, aryl, heterocyclyl (all optionally substituted), 1-6C perfluoroalkyl or 2,2,2-trifluoroethyl;

Rb = aryl, benzyl, heterocyclyl (all optionally substituted), H, 1-6C alkyl, 3-6C cycloalkyl, (C=0)0-1-6C alkyl, (C=0)-1-6C alkyl or S(0)2Ra;

Rc = H, 1-10C alkyl, aryl, 2-10C alkenyl, 2-10C alkynyl, heterocyclyl, 3-8C
cycloalkyl or 1-6C perfluoroalkyl (in which the alkyl, aryl, alkenyl, alkynynl,
heterocycle or cycloalkyl are optionally substituted by Rz);

Record List Display Page 24 of 39

 $Rz = (C=0) \, rOS \, (1-10C) \, alkyl, \, Or \, (1-3C) \, perfluoroalkyl, \, (0-6C) \, alkylene-S \, (0) \, mRa, \, oxo, \, OH, \, halo, \, CN, \, (C=0) \, rOS \, (2-10C) \, alkenyl, \, (C=0) \, rOS \, (2-10C) \, alkynyl, \, (C=0) \, rOS \, (3-6C) \, cycloalkyl, \, (C=0) \, rOS \, (0-6C) \, alkylene-aryl, \, (C=0) \, rOS \, (0-6C) \, alkylene-heterocyclyl, \, (C=0) \, rOS \, (0-6C) \, alkylene-N \, (Rb) \, 2, \, C(0) \, Ra, \, (0-6C) \, alkylene-CO2Ra, \, C(0) \, H, \, (0-6C) \, alkylene-CO2H, \, C(0) \, N(Rb) \, 2, \, S(0) \, mRa, \, S(0) \, 2N \, (Rb) \, 2, \, NRc \, (C=0) \, ObRa, \, O(C=0) \, Ob-1-10C \, alkyl, \, O(C=0) \, Ob-3-8C \, cycloalkyl, \, O(C=0) \, Obaryl, \, O(C=0) \, Ob-heterocycle \, or \, Oa-P=O \, (OH) \, 2 \, (in \, which \, the \, (cyclo) \, alkyl, \, alkenyl, \, alkynyl, \, aryl \, or \, heterocyclyl \, are \, optionally \, mono---trisubstituted \, by \, Rb, \, OH, \, 1-6C \, alkoxy, \, halogen, \, CO2H, \, CN, \, O(C=O)-1-6C \, alkyl, \, oxo, \, N \, (Rb) \, 2 \, or \, Oa-P=O \, (OH) \, 2) \, .$ 

INDEPENDENT CLAIMS are included for the following:

- (a) composition comprising a carrier in which (I) is dispersed; and
- (b) treating cancer involving (I) in combination with radiation therapy.

ACTIVITY - Cytostatic; Anti-HIV; Ophthalmological; Antidiabetic; Antiarteriosclerotic; Vulnerary; Antiarthritic; Antipsoriatic; Anorectic; Neuroprotective; Nootropic; Vasotropic; Antiinflammatory; Immunosuppressive; Antiallergic; Antiasthmatic.

MECHANISM OF ACTION - Inhibitor of isoforms of Serine/threonine protein kinase, Akt; Tumor cell metastasis inhibitor; Inhibitor of growth of blood vessels.

The compounds (I) were tested in PKC assay and were found to be have IC50 value of at most 50 micro M against at least one of Akt1, Akt2 and Akt3. No results for specific compounds are given.

USE - For treating cancer, non-malignant disease, hyperproliferative disease e.g. restenosis, inflammation, autoimmune diseases and allergy/asthma and hyperinsulinism (claimed), kaposi's sarcoma, Hodgkin's disease, keloids, psoriasis, adrenal glands, ocular neovascular diseases, diabetic retinopathy, retinal vascularization, diabetic retinopathy, age-related macular degeneration, atherosclerosis, arthritis, obesity, Alzheimer's disease.

ADVANTAGE - The compounds selectively inhibit one or two of the Akt isoforms.

Full	Title	Citation Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw. De
	21.	Document I	D: US	6809194 B	1						

File: DWPI

Oct 26, 2004

DERWENT-ACC-NO: 2004-755774

DERWENT-WEEK: 200474

L2: Entry 21 of 28

COPYRIGHT 2006 DERWENT INFORMATION LTD

TITLE: New Akt3 inhibitor, useful for treating cancer, atherosclerosis, psoriasis, autoimmune diseases, and bacterial and viral infections

INVENTOR: JEFFERSON, A B; REINHARD, C

PRIORITY-DATA: 2000US-203543P (May 10, 2000), 2001US-0851670 (May 8, 2001)

PATENT-FAMILY:

PUB-NO PUB-DATE LANGUAGE PAGES MAIN-IPC

Page 25 of 39

Record List Display

US 6809194 B1 October 26, 2004

023

C07H021/04

INT-CL (IPC): C07 H 21/04; C12 N 15/85; C12 N 15/86; C12 P 19/34; C12 Q 1/68

ABSTRACTED-PUB-NO: US 6809194B

BASIC-ABSTRACT:

NOVELTY - An isolated Akt3 inhibitor, where the inhibitor is an antisense molecule comprising any of the 13 sequences of 22-29 bp (SEQ ID NOS: 2-6, 12-19), and is not longer than 35 nucleotides in length and is capable of inhibiting the expression of human Akt3, is new.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for:

- (1) a composition comprising a therapeutical amount of an Akt3 antisense molecule;
- (2) a method of decreasing the expression of  $\underline{Akt3}$  in a mammalian cell in vitro comprises administering to the cell an  $\underline{Akt3}$  inhibitor;
- (3) an isolated polynucleotide comprising a polynucleotide:
- (i) comprising a transcription initiation region, or
- (ii) encoding an antisense oligonucleotide at least 8 nucleotides or nucleotide analogues and not longer than 35 nucleotides in length comprising a sequence of SEQ ID NOS: 2-6, 12-19; and
- (4) a recombinant vector comprising the isolated polynucleotide.

ACTIVITY - Antiarteriosclerotic; Antibacterial; Anti-HIV; Antiinflammatory; Antipsoriatic; Cytostatic; Hepatotropic; Immunosuppressive; Virucide.

No biological data given.

MECHANISM OF ACTION - Akt3 inhibitor.

USE - The Akt3 inhibitor, composition, method, and polynucleotide are useful for modulating, i.e. inhibiting, the expression of human Akt3 and for regulating cell growth, particularly tumor cell growth. The Akt3 inhibitor is useful for preparing a medicament for modulating cell proliferation. The antisense compositions and methods are useful for treating tumors, cancers, atherosclerosis, psoriasis, autoimmune diseases, bacterial infections and viral infections like HIV infections or hepatitis.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Altachments	Claims	KWIC	Draw, De

☐ 22. Document ID: US 20060040943 A1, WO 2004007499 A1, AU 2003251010 A1, EP 1523485 A1, JP 2005534681 W

L2: Entry 22 of 28

File: DWPI

Feb 23, 2006

DERWENT-ACC-NO: 2004-191127

DERWENT-WEEK: 200615

COPYRIGHT 2006 DERWENT INFORMATION LTD

TITLE: New 1H-pyrimido(5.4-e)(1,2,4)triazine-5,7-dione derivatives are kinase inhibitors useful for treating cell proliferative disorders such as

Record List Display Page 26 of 39

atherosclerosis, restenosis and cancer

INVENTOR: BAKKER, A C; BUIJNSTERS, P J J; CONNORS, R W; FREYNE, E J E; HO, C Y; LACRAMPE, J F A; RICHARDSON, A

PRIORITY-DATA: 2002EP-0077822 (July 15, 2002)

#### PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
US 20060040943 A1	February 23, 2006		000	C07D487/00
WO 2004007499 A1	January 22, 2004	E	080	C07D487/04
AU 2003251010 A1	February 2, 2004		000	C07D487/04
EP 1523485 A1	April 20, 2005	E	000	C07D487/04
JP 2005534681 W	November 17, 2005		078	C07D487/04

INT-CL (IPC):  $\underline{A61}$   $\underline{K}$   $\underline{31/53}$ ;  $\underline{A61}$   $\underline{K}$   $\underline{31/5377}$ ;  $\underline{A61}$   $\underline{P}$   $\underline{35/00}$ ;  $\underline{C07}$   $\underline{D}$   $\underline{487/00}$ ;  $\underline{C07}$   $\underline{D}$   $\underline{487/04}$ ;  $\underline{C07}$   $\underline{D}$   $\underline{253:00}$ ;  $\underline{C07}$   $\underline{D}$   $\underline{487/04}$ ;  $\underline{C07}$   $\underline{D}$   $\underline{487/04}$ ;  $\underline{C07}$   $\underline{D}$   $\underline{253:00}$ ;  $\underline{C07}$   $\underline{D}$   $\underline{239:00}$ 

ABSTRACTED-PUB-NO: WO2004007499A BASIC-ABSTRACT:

NOVELTY - 1H-pyrimido(5.4-e)(1,2,4)triazine-5,7-dione derivatives (I) and their N-oxide forms, pharmaceutically acceptable addition salts and stereochemically isomeric forms are new.

DETAILED DESCRIPTION - 1H-pyrimido(5.4-e)(1,2,4)triazine-5,7-dione derivatives (I) and their N-oxide forms, pharmaceutically acceptable addition salts and stereochemically isomeric forms are new.

m = 0-1;

n = 0-2;

R1 = H, 1-4C alkyl (optionally substituted with phenyl, pyridinyl or morpholinyl), hydroxy(1-4C)alkyl, 1-4C alkyloxycarbonyl, phenyl (optionally substituted with 1-4C alkyl, 1-4C alkyloxycarbonyl, NO2 and/or cyano(1-4C)alkyl), piperidinyl (optionally substituted with 1-4C alkyl, 1-4C alkyloxycarbonyl or phenyl(1-4C)alkyl), phenyl(1-4C)alkyl or 1-4C alkyloxycarbonyl; either

R2, R3 = H, phenyl, 1-4C alkyl (optionally substituted with phenyl or OH); or

CR2R3 = 3-8C cycloalkyl or Het1 (both optionally substituted with 1-3 of 1-4C alkyloxycarbonyl, phenylcarbonyl 1-4C alkylsulfonyl, aminosulfonyl, mono- or di-(1-4C alkyl)aminosulfonyl and C(=NH)NH2);

R4 = halo, OH, hydroxy(1-4C)alkyl or 1-4C alkyloxy;

R5 = formyl, 1-4C alkyl (optionally substituted with OH, halo, Het3, NR6R7 and/or formyl), 1-4C alkyloxy (optionally substituted with Het4, NR8R9 and/or C(=O)-Het4), Het2, NO2, SO2-Het6, aminosulfonyl or SO2-NR12R13;

R6, R7 = H, 1-4C alkyl (optionally substituted with OH, Het5, 1-4C alkyloxycarbonyl and/or 1-4C alkylsulfonyl), Het5, aminosulfonyl, mono- or di-(1-4C alkyl) aminosulfonyl, 1-4C alkylsulfonyl, 1-4C alkyloxycarbonyl, 1-4C alkyloxy1-4C alkyl or methoxy(1-4C)alkyl;

R8, R9 = H, mono- or di(1-4C alkyl)aminosulfonyl or aminosulfonyl;

R12, R13 = H, 1-4C alkyl or 1-4C alkyloxyl-4C alkyl;

Het1 = piperidinyl;

Het2 = piperidinyl or piperazinyl (optionally substituted with 1-3 1-4C
alkyloxycarbonyl);

Het3 = morpholinyl, pyrrolidinyl, piperidinyl or piperazinyl (optionally substituted with 1-3 of OH, 1-4C alkyl, 1-4C alkyloxycarbonyl, hydroxy(1-4C)alkyl, aminosulfonyl, mono- or di(1-4C alkyl)aminosulfonyl, NR1OR11, imidazolyl, tetrahydropyrimidinyl, NH2, NH2-SO2-O, mono- or di(1-4C alkyl)amino-SO2-O, NH2-SO2-NH, mono- or di(1-4C alkyl)amino SO2-NH, hydroxy(1-4C alkyloxy)1-4C alkyl, 1-4C alkyloxy(1-4C)alkyl or 1-4C alkyloxy);

R10, R11 = H, 1-4C alkyl, 1-4C alkyloxycarbonyl or mono- or di(1-4C alkyl) aminosulfonyl;

Het4 = morpholinyl, piperidinyl or piperazinyl (optionally substituted with 1-3 of 1-4C alkyl (optionally substituted with one or more OH), aminosulfonyl or mono- or di(1-4C alkyl)aminosulfonyl);

Het5 = pyridinyl, pyrrolidinyl or piperidinyl (optionally substituted with 1-3 of 1-4C alkyl, aminosulfonyl, 1-4C alkyloxycarbonyl or mono- or di(1-4C alkyl) aminosulfonyl); and

Het6 = morpholinyl.

An INDEPENDENT CLAIM is also included for the preparation of (I).

ACTIVITY - Cytostatic; Vasotropic; Antiarteriosclerotic.

MECHANISM OF ACTION - Kinase inhibitor.

A human breast adenocarcinoma cell line (MDA-MB 231) was used in a phosphospecific antibody cell enzyme linked immunosorbent assay (PACE ELISA) to assess the inhibitory effect of (I) on  $\underline{AKT3}$  mediated phosphorylation of mitogen-activated protein kinase. The results showed that the negative logarithm of median inhibitory concentration (pIC50) of N-(3-(5-(1,6-Dimethyl-5,7-dioxo-1,5,6,7-tetrahydro-pyrimido(5,4-e)(1,2,4)-triazin-3-yl)-furan-2-yl)-benzyl)-methanesulfonamide (Ia). was 6.679.

USE - (I) are useful in the manufacture of medicaments for treating cell proliferative disorders such as atherosclerosis, restenosis and cancer (claimed).

ADVANTAGE - (I) display improved water solubility without loss of biological activity as anti-proliferative compounds.

CACCINCTON	Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De

☐ 23. Document ID: IN 200403005 P4, WO 2003091246 A1, US 20040029857 A1, AU 2003237121 A1, EP 1506189 A1, US 20050234059 A1

L2: Entry 23 of 28

File: DWPI

Feb 17, 2006

DERWENT-ACC-NO: 2004-081856 DERWENT-WEEK: 200619 Record List Display Page 28 of 39

COPYRIGHT 2006 DERWENT INFORMATION LTD

TITLE: New pyrrole derivatives useful for the treatment of e.g. cardiovascular disease, cancer, neurological disorder

INVENTOR: ARONOV, A; HALE, M R; MALTAIS, F; STRAUB, J; TANG, Q

PRIORITY-DATA: 2002US-403853P (August 14, 2002), 2002US-376259P (April 26, 2002), 2003US-0424280 (April 25, 2003), 2005US-0077188 (March 10, 2005)

#### PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
IN 200403005 P4	February 17, 2006	E	000	C07D403/04
WO 2003091246 A1	November 6, 2003	E	041	C07D403/04
US 20040029857 A1	February 12, 2004		000	A61K031/541
AU 2003237121 A1	November 10, 2003		000	C07D403/04
EP 1506189 A1	February 16, 2005	E	000	C07D403/04
US 20050234059 A1	October 20, 2005		000	C07D403/04

INT-CL (IPC): A61 K 31/4439; A61 K 31/4545; A61 K 31/496; A61 K 31/501; A61 K 31/506; A61 K 31/53; A61 K 31/5377; A61 K 31/541; A61 P 35/00; C07 D 207:00; C07 D 401/14; C07 D 403/04; C07 D 403/14; C07 D 405/14; C07 D 417/14; C07 D 487/04; C07 D 209:00; C07 D 201:00; C07 D 201:00;

ABSTRACTED-PUB-NO: WO2003091246A BASIC-ABSTRACT:

NOVELTY - Pyrrole derivatives are new.

DETAILED DESCRIPTION - Pyrrole derivatives of formula (I), or their salts are new.

A1 = N or CR10;

A2 = N or CR11;

m = 0 or 1;

R1 = Q1;

Q1 = H, CN, halo, R, N(R7)2, OR or OH;

X = -C(0) - , -C(0)NR7, -NR7C(0) - , -NR7SO2 - , -SO2NR7 - , -S(0) - or -SO2 - ;

 $R2 = -(CH2)\gamma R5$ ,  $-(CH2)\gamma CH(R5)2$ ,  $-(CH2)\gamma CH(R8)(R5)$ ,  $-(CH2)\gamma CH(R8)CH(R5)2$ , -N(R4)2,  $-NR4(CH2)\gamma N(R4)2$ , -ON(R7)2 or -NR70R6;

y = 0 - 6;

R3 = -R, -OR6, -SR6, -S(O)R6, -SO2R6, -ON(R7)2, -N(R)2, -NRN(R7)2 or -NROR6;

R6 = H or -R;

Record List Display Page 29 of 39

```
R = 3 - 7 membered aromatic monocyclic ring (containing 0 - 3 heteroatoms N, S or
O), 8 - 10 membered aromatic bicyclic ring (containing 0 - 4 heteroatoms N, S or O)
(both optionally saturated) or 1-6C aliphatic (optionally substituted);
R4 = -R, -R7, -COR7, -CO2R, -CON(R7)2, -SO2R7, -(CH2)yR5 or -(CH2)yCH(R5)2;
R5 = -R, -OR, -CO2R, -(CH2) yN(R7) 2, -N(R7) 2, -OR7, -SR7, -NR7C(O) R7, -NR7CON(R7) 2,
-C(O)N(R7)2, -SO2R7, -NR7SO2R7, -C(O)R7, -CN or -SO2N(R7)2;
R7 = H or 1-6C aliphatic (optionally substituted);
NR7+R7 = 3 - 7 membered heterocyclic ring (containing 0 - 2 heteroatoms N, O or S);
R8 = -R, -(CH2) wOR7, -(CH2) wN (R4) 2 or -(CH2) wSR7;
w = 0 - 4;
R9 = H, 1-6C aliphatic (optionally substituted), C(0)R7, C(0)OR7 or SO2R7;
R10 = R7, halo, CN, NO2, OR7, SR7, N(R7)2, C(O)R7 or CO2R7;
R10+R3 = optionally substituted 5 - 7 membered aromatic ring (containing 0 - 2
heteroatoms N, O or S);
R11 = R7, CN, NO2, halo, N(R7)2, SR7, OR7, C(0)R7 or CO2R7;
R12 and R13 = R7, CN, NO2, halo, N(R7)2, SR7 or OR7.
Provided that:
(1) when m is 0, then R1 is Q1;
(2) when m is 1, then R1 is H or R;
(3) only one of R12 and R13 is optionally saturated 3 - 7 membered aromatic
monocyclic ring (containing 0 - 3 heteroatoms N, S or O) or optionally saturated 8
- 10 membered aromatic bicyclic ring (containing 0 - 4 heteroatoms N, S or 0).
INDEPENDENT CLAIMS are included for the following:
(1) a composition (C1) comprises (I), and a carrier, adjuvant or vehicle; and
(2) a composition comprising (I) and a carrier for coating an implantable device.
ACTIVITY - Cardiovascular-Gen.; Vasotropic; Antiarteriosclerotic; Cardiant;
```

Virucide; Neuroprotective; Antibacterial; Immunosuppressive; Antiallergic; Antiinflammatory; Osteopathic; Hepatotropic; Cytostatic; Cerebroprotective; Nootropic; Anti-HIV; Antipsoriatic; Antiparkinsonian; Neuroleptic; CNS-Gen.; Muscular-Gen.; Antirheumatic; Antiarthritic; Antimicrobial; Hypotensive; Antianginal; Antiasthmatic; Ophthalmological; Anticonvulsant.

MECHANISM OF ACTION - Protein kinase inhibitor; Extracellular signal regulated kinase-2 (ERK2) inhibitor; Cyclin-dependent kinase-2 (CDK2) inhibitor; Aurora2 inhibitor; Glycogen synthase kinase-3 (GSK3) inhibitor; AKT3 inhibitor; Rho-associated coiled-coil forming protein serine/threonine kinase (ROCK) inhibitor; Hyperphosphorylated Tau protein inhibitor.

A fixed concentration of activated ERK2 (10 nM) was incubated with various concentrations of 4-(5-methyl-2-phenyl-pyrimidin-4-yl)-1H-pyrrole-2 carboxylic acid

Record List Display Page 30 of 39

(2-hydroxy-1-(S)-phenyl-ethyl)-amide (A) in dimethylsulfoxide (DMSO) (2.5 %) for 10 minutes at 30 deg. C in 0.1 M HEPES buffer, pH (7.5), containing MgCl2 (10 mM), phosphoenolpyruvate (2.5 mM), NADH (200 micro M), pyruvate kinase (150 micro g/ml), lactate dehydrogenase (50 micro g/ml) and erktide peptide (200 micro M). The reaction was initiated by the addition of ATP (65 micro M). The rate of decrease of absorbance at 340 nM was monitored. (A) showed Ki value of less than 0.1 micro M.

USE - For treating or lessening the severity of proliferative disorders, cardiovascular diseases (e.g. restenosis, cardiomycete hypertrophy, cardiomegaly, atherosclerosis, angina pectoris, hypertension, myocardial infarction and congestive heart failure), viral diseases, neurological disorders, autoimmune disorders, inflammatory disorders, allergic disorders, baldness, immunodeficiency disorder, destructive bone disorder, diabetes and liver disease, cancer (e.g. breast, ovary, cervix, prostate, testis, genitourinary tract, esophagus, larynx, glioblastoma, neuroblastoma, stomach, skin, keratoacanthoma, lung, epidermoid carcinoma, large cell carcinoma, small cell carcinoma, lung adenocarcinoma, bone, colon, adenoma, pancreas, adenocarcinoma, thyroid, follicular carcinoma, undifferentiated carcinoma, papillary carcinoma, seminoma, melanoma, sarcoma, bladder carcinoma, liver carcinoma and biliary passages, kidney carcinoma, myeloid disorders, lymphoid disorders, Hodgkin's, hairy cells, buccal cavity and pharynx (oral), lip, tongue, mouth, pharynx, small intestine, colon-rectum, large intestine, rectum, brain and central nervous system and leukemia), stroke, diabetes, hepatomegaly, Alzheimer's disease, cytomegalovirus, HIV, herpes, psoriasis, Parkinson's disease, multiple sclerosis, schizophrenia, AIDS, AIDSassociated dementia, cystic fibrosis, arteriosclerosis, rheumatoid arthritis, conditions associated with organ transplantation, osteoporosis, infectious diseases, conditions associated with cell death, thrombin-induced platelet aggregation, chronic myelogenous leukemia, pathologic immune condition involving T cell activation, cerebrovascular contraction, asthma, peripheral circulation disorder, premature birth, spasm, retinopathy, CNS disorder, neurodegenerative disease (e.g. amyotrophic lateral sclerosis, Huntington's disease, cerebral ischemia, traumatic injury, glutamate neurotoxicity and hypoxia); and for coating an implantable device (all claimed) (such as prostheses, artificial valves, vascular grafts, stents and catheters).

ADVANTAGE - The compound is capable of binding ERK2, CDK2, Aurora2, GSK3,  $\underline{AKT3}$  and ROCK protein kinases.

Full Title Citation Front Review C	lassification Date Reference Sequences	Attachments   Claims   KWIC   Draw. De
AND TAKEN MINISTER TO THE PROPERTY OF THE PROP		
D 24 Decument ID: 115 69	001555 D2 WA 200160050 A2 AI	I 2001 91 466 A
1_ 24. Document 1D: US 68	881555 B2, WO 200168850 A2, AU	200181400 A
L2: Entry 24 of 28	File: DWPI	Apr 19, 2005

DERWENT-ACC-NO: 2001-582452 DERWENT-WEEK: 200527

COPYRIGHT 2006 DERWENT INFORMATION LTD

TITLE: New nucleic acid encoding human <u>Akt3</u> protein, useful for inhibiting cell death and treating myocardial infarction, ischemia reperfusion injury associated with stroke, liver damage and renal failure

INVENTOR: CLARK, K L; GUO, K ; IVASHCHENKO, Y D ; PAGNONI, M F

PRIORITY-DATA: 2000US-0526043 (March 14, 2000), 1999US-125108P (March 19, 1999)

PATENT-FAMILY:

Record List Display Page 31 of 39

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
US 6881555 B2	April 19, 2005		000	C12P021/06
WO 200168850 A2	September 20, 2001	E	073	C12N015/12
AU 200181466 A	September 24, 2001		000	C12N015/12

INT-CL (IPC): A61 K 48/00; C07 K 14/47; C07 K 16/18; C12 N 11/00; C12 N 11/02; C12 N 11/04; C12 N 11/14; C12 N 15/11; C12 N 15/12; C12 N 15/86; C12 P 21/06; G01 N 33/566

ABSTRACTED-PUB-NO: WO 200168850A BASIC-ABSTRACT:

NOVELTY - An isolated nucleic acid (I) encoding a human Akt3 protein (AH/PH-domain containing serine/threonine kinase, Akt) comprising a fully defined sequence (S1) of 465 amino acids, its splice variant or allelic variant, where (I) hybridizes under stringent conditions with a nucleic acid containing a nucleotide sequence (S2) of 1570 base pairs defined in the specification, is new.

DETAILED DESCRIPTION - (I) comprises the sequence S2 encoding Akt3 protein of sequence S1 or a polypeptide which specifically binds to an antibody generated against an epitope within a peptide having the sequence (S3) CQQSDCGMLGNWKK or its similar sequence, and it can be amplified by polymerase chain reaction (PCR) using an oligonucleotide primer pair derived from a sequence of 74 base pairs (bp) as given in the specification and TTATTTTTCCAGGTACCCAGCATGCC.

INDEPENDENT CLAIMS are also included for the following:

- (1) an isolated human Akt3 protein (II) comprising S3 or its similar sequence, chosen from a protein encoded by (I), a protein comprising S1, its allelic or splice variant or a protein which specifically binds to an antibody generated against an epitope within a peptide having S3;
- (2) a vector (III) comprising (I);
- (3) a host cell transfected with (III);
- (4) producing (II);
- (5) an antigenic peptide (IV) comprising the sequence (S3) or its similar sequence, which is a fragment of (II) and encoded by (I);
- (6) an antibody (V) which specifically binds (II);
- (7) a pharmaceutical composition comprising (I) in the form of liposomes, a complex with nuclear proteins, lipids or dextran or untreated form, or (III);
- (8) inhibiting (VI)  $\underline{Akt3}$  activity in a cell, by decreasing the level of  $\underline{Akt3}$  protein in the cell; and
- (9) a replication defective recombinant virus comprising (I) in its genome.

ACTIVITY - Cerebroprotective; nootropic; neuroprotective; antiarthritic; osteopathic; vasotropic; hepatotrophic.

MECHANISM OF ACTION - Gene therapy; inhibitor of apoptosis; inhibitor of apoptosis stimulating kinase 1 (ASK1)-induced cell death. Expression of human Akt3 inhibited cell death induced by ASK1. A cytomegalovirus (CMV)- beta -gal plasmid was cotransfected into human embryonic kidney (HEK) 293 cells with the expression

Record List Display Page 32 of 39

plasmid for ASK1 (pCDNA3-HA-ASK1FL), either alone or in combination with the expression plasmid for Akt3 (CMV6-MyrAkt3HA). Two days after transfection, the cells were stained for beta -galactosidase activity. The results showed that transfection with ASK1 expression plasmid (in the absence of the Akt3 expression plasmid) lead to dramatic decrease in beta -gal positive cells. Cotransfection with the Akt3 expression plasmid significantly inhibited cell death induced by ASK1 as measured by the presence of beta -gal positive cells. These data demonstrated that activated Akt3 prevented cell death induced by ASK1.

USE - (I) operably linked to a regulatory region is useful for inhibiting cell death in cardiac myocytes resulting from hypoxia, apoptosis or necrosis and for treating myocardial infarction or ischemia reperfusion injury, particularly myocardial ischemia reperfusion injury or which is associated with stroke, liver damage, renal failure, organ transplantation or coronary artery bypass grafting. Akt3 protein is useful for screening for molecules, such as agonist or antagonist of Akt3 that stimulate or inhibit Akt3 activity, especially inhibition of apoptosis. The method comprises contacting the protein with a candidate molecule and detecting Akt3 activity i.e. inhibition of apoptosis, by measuring the presence of a marker gene. (III) is useful for increasing Akt3 activity in a cell (claimed). Agonist of Akt3 are useful for improving Akt3 activity during treatment of patients suffering from myocardial infarction or ischemia reperfusion injury and inhibitors of Akt3 activity decrease tumor cell survival and result in tumor regression. Akt3 protects cells from apoptosis. Gene therapy using Akt3 reduces the quantity of cell death and final infarct size, resulting in improved post-infarction function, improved quality of life and reduced mortality. In patients with existing heart failure, gene therapy with Akt3 retards the process of ventricular dilation and slows down disease progression. Akt3 gene therapy is useful for treating other disease states, involving cell death by apoptosis, including Alzheimer's disease, liver degeneration or osteoarthritis.

ADVANTAGE - Gene therapy with  $\underline{Akt3}$  improves quality of the life, reduces mortality and the need for hospitalization.

200.44	Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMC	Draw. De
~	·····												
	П	25	Doou	ment T	D. VII	773450 B2	WO	2000771	00 A2 AT	J 20005175	Q A DI	2000	11503
	Ji						•		•		-		
	A, E	EP 118	37911 <i>A</i>	12, NO	20010	6025 A, CZ	2001	04444 A	3, KR 2002	2012270 A,	HU 20	02016	63 A2,
	CN	13606	529 A 7	7 Å 200	109709	A MX 20	01013	2748 A1	TP 200353	0818 W, N	Z 5160 <sup>4</sup>	54 A	
	CIN	12000	Jaj r., 4	LA 200	,102,02	A, $MA = 0$	01014	2/70 AI,	JI 200555	0010 11,14	∠ J100.	77.73	

File: DWPI

May 27, 2004

DERWENT-ACC-NO: 2001-025336

L2: Entry 25 of 28

DERWENT-WEEK: 200465

COPYRIGHT 2006 DERWENT INFORMATION LTD

TITLE: Inducing expression of vascular endothelial growth factor, useful for treating an ischemic condition, e.g. cerebrovascular ischemia, renal ischemia or pulmonary ischemia, comprises administering a serine/threonine protein kinase Akt protein

INVENTOR: CLARK, K; GUO, K ; IVASHCHENKO, Y ; IVASHCHENKO, Y D ; CLARK, K L

PRIORITY-DATA: 1999GB-0026058 (November 3, 1999), 1999US-138724P (June 11, 1999)

PATENT-FAMILY:

PUB-NO PUB-DATE LANGUAGE PAGES MAIN-IPC

AU 773450 B2	May 27, 2004		000	C12N015/00
WO 200077190 A2	December 21, 2000	E	067	C12N015/00
AU 200051758 A	January 2, 2001		000	
BR 200011503 A	March 5, 2002		000	C12N015/00
EP 1187911 A2	March 20, 2002	E	000	C12N009/12
NO 200106025 A	February 8, 2002		000	C12N000/00
CZ 200104444 A3	May 15, 2002		000	C12N015/00
KR 2002012270 A	February 15, 2002		000	A61K038/45
HU 200201663 A2	August 28, 2002		000	C12N015/00
CN 1360629 A	July 24, 2002		000	C12N009/12
ZA 200109709 A	April 30, 2003		075	C12N000/00
MX 2001012748 A1	July 1, 2003		000	C12N015/00
JP 2003530818 W	October 21, 2003		090	C12N015/09
NZ 516054 A	April 30, 2004		000	C12N015/00

INT-CL (IPC): A61 K 31/7088; A61 K 33/24; A61 K 35/00; A61 K 35/76; A61 K 38/04; A61 K 38/22; A61 K 38/45; A61 K 38/46; A61 K 39/395; A61 K 45/06; A61 K 48/00; A61 P 9/10; C12 N 0/00; C12 N 9/12; C12 N 15/00; C12 N 15/09

ABSTRACTED-PUB-NO: WO 200077190A

BASIC-ABSTRACT:

NOVELTY - A method (M1) of inducing expression of vascular endothelial growth factor (VEGF), particularly in the cells of a patient suffering from an ischemic condition, comprising administering a Serine/threonine protein kinase Akt protein.

DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for a method (M2) for inhibiting angiogenesis in a patient suffering from a tumor, comprising inhibiting the level of Akt activity in the patient, therefore inhibiting production of VEGF.

ACTIVITY - Vasotropic; cardiant.

Human skeletal muscle cells (HSKMCs) and human coronary smooth muscle cells (HCASMCs) were infected with recombinant adenoviruses expressing either active mouse Akt1 (AV-mAKT1cak) or constitutively active human Akt3 (AV-hAKT3cak). As a control, cells were infected with an adenovirus expressing green fluorescent protein (AV-GFP). On the day after infection, culture media was collected and the VEGF level was measured by ELISA (Enzyme linked immunoabsorbant assay). Both Av-mAKT1cak and AV-hAKT3cak significantly increased VEGF-165 expression in HSKMCs, while AV-GFP infection had little or no effect. Av-mAKT1cak and AV-hAKT3cak also induced VEGF-165 from HCASMCs.

MECHANISM OF ACTION - Antisense therapy; Akt antagonist; Gene therapy.

USE - The method is useful for treating a patient suffering from an ischemic condition such as cerebrovascular ischemia, renal ischemia, pulmonary ischemia, limb ischemia, myocardial ischemia, or ischemic, idiopathic or hypertrophic cardiomyopathy (claimed).

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Drawt De
												_

☐ 26. Document ID: AU 782448 B2, WO 200056866 A2, AU 200038802 A, EP 1144600 A2, NO 200104537 A, BR 200009170 A, KR 2002011972 A, JP 2002539781 W, ZA 200108414

# A, US 20030100049 A1, MX 2001009431 A1, US 20050142603 A1

L2: Entry 26 of 28

File: DWPI

Jul 28, 2005

DERWENT-ACC-NO: 2000-638260

DERWENT-WEEK: 200553

COPYRIGHT 2006 DERWENT INFORMATION LTD

TITLE: Novel AKT3 nucleic acid and proteins capable of preventing apoptotic cell death induced by apoptosis stimulating kinase 1 useful for treating myocardial infarction or ischemia reperfusion injury

INVENTOR: ASHCHENKO, Y D; CLARK, K L; GUO, K; PAGNONI, M F; IVASHCHENKO, Y D; PAGNONI, M

PRIORITY-DATA: 1999US-125108P (March 19, 1999), 2000US-0526043 (March 14, 2000), 2005US-0063691 (February 23, 2005)

#### PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
AU 782448 B2	July 28, 2005		000	C12N009/12
WO 200056866 A2	September 28, 2000	E	073	C12N009/12
AU 200038802 A	October 9, 2000		000	C12N009/12
EP 1144600 A2	October 17, 2001	E	000	C12N009/12
NO 200104537 A	October 31, 2001		000	C12N000/00
BR 200009170 A	April 30, 2002		000	C12N009/12
KR 2002011972 A	February 9, 2002		000	C12N015/11
JP 2002539781 W	November 26, 2002		098	C12N015/09
ZA 200108414 A	March 26, 2003		098	C12N000/00
US 20030100049 A1	May 29, 2003		000	A61K048/00
MX 2001009431 A1	March 1, 2002		000	A61K038/45
US 20050142603 A1	June 30, 2005		000	C12Q001/68

INT-CL (IPC): A61 K 9/127; A61 K 35/76; A61 K 38/00; A61 K 38/45; A61 K 39/395; A61 K 47/36; A61 K 47/42; A61 K 47/46; A61 K 48/00; A61 P 1/16; A61 P 9/10; A61 P 13/12; A61 P 37/06; A61 P 43/00; C07 H 21/04; C07 K 14/47; C07 K 16/40; C12 N 0/00; C12 N 1/19; C12 N 1/21; C12 N 5/06; C12 N 5/10; C12 N 7/00; C12 N 9/12; C12 N 15/09; C12 N 15/11; C12 N 15/63; C12 P 21/00; C12 P 21/02; C12 Q 1/48; C12 Q 1/68; G01 N 33/15; G01 N 33/50; G01 N 33/53; G01 N 33/566; C12 N 1/19; C12 N 1/21; C12 N 1/21; C12 R 1:01; C12 R 1:645; C12 R 1:91

ABSTRACTED-PUB-NO: WO 200056866A BASIC-ABSTRACT:

NOVELTY - An isolated nucleic acid (I) encoding a human Akt3 protein, is new.

DETAILED DESCRIPTION - An isolated nucleic acid (I) encoding a human Akt3 protein, is new.

The human <u>Akt3</u> protein comprises the sequence (S1) CysGlnGlnSerAspCysGlyMe-tLeuGlyAsnTrpLysLys, or a substantially similar sequence. (I) has the following properties:

(a) it can be amplified by polymerase chain reaction (PCR) using an oligonucleotide primer pair derived from a 74 or 27 nucleotide sequence, fully defined in the

Record List Display Page 35 of 39

specification;

(b) it hybridizes under stringent conditions to a nucleic acid comprising a 1570 base pair sequence, fully defined in the specification;

- (c) it encodes a polypeptide comprising a 465 residue amino acid sequence, or its allelic or splice variants; or
- (d) it encodes a polypeptide which specifically binds to an antibody generated against an epitope within a peptide having the sequence S1.

INDEPENDENT CLAIMS are also included for the following:

- (1) an isolated human Akt3 protein (II) comprising the sequence S1 encoded by (I);
- (2) a vector (III) comprising (I);
- (3) a host cell (IV) transfected with (III);
- (4) preparation of (II), comprising culturing (IV) under expression conditions, and recovering the polypeptide;
- (5) an antigenic peptide comprising (II);
- (6) an antibody (V) which specifically binds to (II);
- (7) a pharmaceutical composition (VI) comprising (I) or (III);
- (8) increasing (VII) Akt3 activity in a cell by increasing the level of (II) in the cell;
- (9) inhibiting (VIII)  $\underline{Akt3}$  activity in a cell by decreasing the level of (II) in a cell; and
- (10) a replication defective recombinant virus comprising (I) in its genome.

ACTIVITY - Cardiant; Vasotropic; Cerebroprotective; Hepatotropic; Nephrotropic.

MECHANISM OF ACTION - Gene therapy; Inhibitor of cell death induced by apoptotic stimulating kinase 1 (ASK1). The inhibition of ASK1-induced cell death by Akt3 was studied. A cytomegalovirus (CMV) - beta -gal plasmid was cotransfected into human embryonic kidney (HEK)293 cells with the expression plasmid for ASK1 (pCDNA3-HA-ASK1FL), either alone or in combination with the expression plasmid for Akt3 (CMV6-MyrAkt3HA). Two days after transfection, cells were stained for beta -galactosidase activity. Cells were washed with 1x phosphate buffered saline (PBS) and fixed. Fixed cells were stained overnight in a moisture chamber. Transfection with the ASK1 expression plasmid led to decrease in beta -gal positive cells and cotransfection with the Akt3 expression plasmid significantly inhibited cell death induced by ASK1 as measured by the presence of beta -gal positive cells. These data demonstrated that activated Akt3 prevented cell death induced by ASK1.

USE - (I) is useful for inhibiting cell death, preferably in a cardiac myocyte, resulting from hypoxia, apoptosis or necrosis in a patient suffering from myocardial infarction or ischemia reperfusion injury. (I) is useful for treating myocardial infarction or ischemia reperfusion injury, where the reperfusion injury is myocardial ischemia reperfusion injury or is associated with stroke, liver damage, renal failure, organ transplantation or coronary artery by pass grafting, by administering (I) to cardiac myocytes of a patient. (II) is useful for screening agonists and agonists of Akt3 by contacting Akt3 protein with a candidate molecule and detecting Akt3 activity such as inhibition of apoptosis in the presence of the

Record List Display Page 36 of 39

molecule. Inhibition of apoptosis is measured by the presence of a marker gene. (All claimed).

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KWIC Draw Do

L2: Entry 27 of 28 File: DWPI Mar 4, 1999

DERWENT-ACC-NO: 1999-190409

DERWENT-WEEK: 199916

COPYRIGHT 2006 DERWENT INFORMATION LTD

TITLE: New imidazoquinoxaline compounds inhibit protein tyrosine kinases - used to treat e.g. immunological disorders

INVENTOR: BARRISH, J C; CHEN, P; DAS, J; IWANOWICZ, E J; NORRIS, D J; PADMANABHA, R; ROBERGE, J Y; SCHIEVEN, G L

PRIORITY-DATA: 1997US-069159P (December 9, 1997), 1997US-056770P (August 25, 1997), 1998US-0097338 (June 15, 1998)

#### PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
WO 9909845 A1	March 4, 1999	E	315	A61K031/54
AU 9886817 A	March 16, 1999		000	C07D403/02
ZA 9807649 A	April 26, 2000		353	C07D000/00
US 6235740 B1	May 22, 2001		000	C07D487/04

INT-CL (IPC):  $\underline{A61}$   $\underline{K}$   $\underline{31/4745}$ ;  $\underline{A61}$   $\underline{K}$   $\underline{31/495}$ ;  $\underline{A61}$   $\underline{K}$   $\underline{31/54}$ ;  $\underline{C07}$   $\underline{D}$   $\underline{0/00}$ ;  $\underline{C07}$   $\underline{D}$   $\underline{403/02}$ ;  $\underline{C07}$   $\underline{D}$   $\underline{413/14}$ ;  $\underline{C07}$   $\underline{D}$   $\underline{487/04}$ ;  $\underline{C07}$   $\underline{F}$   $\underline{0/00}$ 

ABSTRACTED-PUB-NO: US 6235740B BASIC-ABSTRACT:

NOVELTY - Imidazoquinoxaline compound (I) are new. DETAILED DESCRIPTION -Imidazoquinoxaline compounds (I) and their salts are new: p = 0-4; R1-R3 = H, R6, OH OR6, SH, SR6, C(O)qH, C(O)qR6, OC(O)qR6, SO3H, S(O)qR6, halo, CN, NO2, Z4-NR7R8, Z4-N(R9)-Z5-NR10R11, Z4-N(R12)-Z5-R6, SiR13R14R15, -P(O)(OR6)2, or CH=NOR6; or two R1 groups may together form a carbocycle or heterocycle; q = 1 or 2; R6 = optionally substituted alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, cycloalkenyl, cycloalkenylalkyl, aryl, aralkyl, heterocycle or heterocycloalkyl; R4, R5 = H, R6 or C(O)R6 or together with the N to which they are attached form a heterocycle; R7-R12 = H or R6; or NR7R8 forms a ring or any two of R9-R11 may together with the N to which they are attached form a ring; R13-R15 = alkyl or phenyl; Z4, Z5 = a bond, -Z11-S(0)q-Z12-, -Z11-C(0)-Z12-, -Z11-C(S)-Z12-, -Z11-(0)-Z12-Z12-, -Z11-S-Z12-, -Z11-O-C(0)-Z12- or -Z11-C(0)-O-Z12-; Z11,Z12= a bond, alkylene, alkenylene or alkynylene; with the proviso that (I) is not 4-amino-7trifluoromethylimidazo[1,5-a]quinoxaline-3-carb- oxylic acid ethyl ester. The full definitions are given in the DEFINITIONS field. An INDEPENDENT CLAIM is also included for the administration of a compound (I) with one or more of the following: another protein tyrosine kinase inhibitor, cyclosporin A, CTLA4-Iq, antibodies selected from anti-ICAM-3, anti-IL-2-receptor, anti-CD45RB, antiCD2, anti-CD3 (OKT-3), anti-CD4, anti-CD80, anti-CD86 and monoclonal antibody AKT3, agents blocking the interaction between CD40 and gp39, fusion proteins constructed

Record List Display Page 37 of 39

from CD40 and gp39, inhibitors of NF-kappa B function, non-steroidal antiinflammatory drugs, steroids, gold compounds, antiproliferative agents, FK506 (tacrolimus, Prograf), mycophenolate mofetil, cytotoxic drugs, TNF-(-inhibitors, anti-TNF antibodies or soluble TNF receptor and rapamycin (sirolimus or Rapamune) or their derivatives.

USE - (I) are used to treat protein tyrosine kinase associated disorders e.g. transplant (e.g. organ transplant, acute transplant, heterograft or homograft) rejection, protection from ischemic or reperfusion injury e.g. such as that incurred during organ transplant, myocardial infarction, stroke or other causes, transplantation tolerance induction, arthritis e.g. rheumatoid arthritis, psoriatic arthritis or osteoarthritis, multiple sclerosis, inflammatory bowel disease including ulcerative colitis and Crohn's disease, lupus(systemic lupus erythematosis), graft vs. host disease, T-cell mediated hypersensitivity diseases including contact hypersensitivity, delayed-type hypersensitivity and glutensensitive enteropathy (Celiac disease), psoriasis, contact dermatitis including that due to poison ivy, Hashimoto's thyroiditis, Sjorgren's syndrome, autoimmune hyperthyroidism such as Grave's disease, Addison's disease (autoimmune disease of the adrenal glands), autoimmune polyglandular disease, autoimmune alopecia, pernicious anemia, vitiligo, autoimmune hypopituatarism, Guillain-Barre syndrome, other autoimmune diseases, cancers where Lck or other Src-family kinases such as Src are activated or overexpressed, such as colon carcinoma and thymoma, or cancers where Src-family kinase activity facilitates tumor growth or survival, glomerulonephritis, serum sickness, uticaria, allergic diseases such as respiratory allergies (asthma, hayfever, allergic rhinitis) or skin allergies, scleracierma, mycosis fungoides, acute inflammatory responses such as acute respiratory distress syndrome and ischemia/reperfusion injury , dermatomyositis, alopecia areata, chronic actinic dermatitis, eczema, Behcet's disease, Pustulosis palmoplanteris, Pyoderma gangrenum, Sezary's syndrome, atopic dermatitis, systemic sclerosis and morphea. ACTIVITY - None given. MECHANISM OF ACTION - protein tyrosine kinase inhibitor ESPECIALLY Src-family kinases such as Lck, Fyn, Lyn, Src, Yes, Hck, Fgr and Blk.

ABSTRACTED-PUB-NO:

## WO 9909845A EQUIVALENT-ABSTRACTS:

NOVELTY - Imidazoquinoxaline compound (I) are new. DETAILED DESCRIPTION -Imidazoquinoxaline compounds (I) and their salts are new: p = 0-4; R1-R3 = H, R6, OH OR6, SH, SR6, C(O)qH, C(O)qR6, OC(O)qR6, SO3H, S(O)qR6, halo, CN, NO2, Z4-NR7R8, Z4-N(R9)-Z5-NR10R11, Z4-N(R12)-Z5-R6, SiR13R14R15, -P(O)(OR6)2, or CH=NOR6; or two R1 groups may together form a carbocycle or heterocycle; q = 1 or 2; R6 = optionally substituted alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, cycloalkenyl, cycloalkenylalkyl, aryl, aralkyl, heterocycle or heterocycloalkyl; R4, R5 = H, R6 or C(0)R6 or together with the N to which they are attached form a heterocycle; R7-R12 = H or R6; or NR7R8 forms a ring or any two of R9-R11 may together with the N to which they are attached form a ring; R13-R15 = alkyl or phenyl; Z4, Z5 = a bond, -Z11-S(0)q-Z12-, -Z11-C(0)-Z12-, -Z11-C(S)-Z12-, -Z11-(0)-Z12-, -Z11-S-Z12-, -Z11-O- C(O)-Z12- or -Z11-C(O)-O-Z12-; Z11,Z12= a bond, alkylene, alkenylene or alkynylene; with the proviso that (I) is not 4-amino-7trifluoromethylimidazo[1,5-a]quinoxaline-3-carb- oxylic acid ethyl ester. The full definitions are given in the DEFINITIONS field. An INDEPENDENT CLAIM is also included for the administration of a compound (I) with one or more of the following: another protein tyrosine kinase inhibitor, cyclosporin A, CTLA4-Iq, antibodies selected from anti-ICAM-3, anti-IL-2-receptor, anti-CD45RB, antiCD2, anti-CD3 (OKT-3), anti-CD4, anti-CD80, anti-CD86 and monoclonal antibody AKT3, agents blocking the interaction between CD40 and gp39, fusion proteins constructed from CD40 and gp39, inhibitors of NF-kappa B function, non-steroidal antiinflammatory drugs, steroids, gold compounds, antiproliferative agents, FK506 (tacrolimus, Prograf), mycophenolate mofetil, cytotoxic drugs, TNF-(-inhibitors, anti-TNF antibodies or soluble TNF receptor and rapamycin (sirolimus or Rapamune)

or their derivatives.

USE - (I) are used to treat protein tyrosine kinase associated disorders e.g. transplant (e.g. organ transplant, acute transplant, heterograft or homograft) rejection, protection from ischemic or reperfusion injury e.g. such as that incurred during organ transplant, myocardial infarction, stroke or other causes, transplantation tolerance induction, arthritis e.g. rheumatoid arthritis, psoriatic arthritis or osteoarthritis, multiple sclerosis, inflammatory bowel disease including ulcerative colitis and Crohn's disease, lupus(systemic lupus erythematosis), graft vs. host disease, T-cell mediated hypersensitivity diseases including contact hypersensitivity, delayed-type hypersensitivity and glutensensitive enteropathy(Celiac disease), psoriasis, contact dermatitis including that due to poison ivy, Hashimoto's thyroiditis, Sjorgren's syndrome, autoimmune hyperthyroidism such as Grave's disease, Addison's disease (autoimmune disease of the adrenal glands), autoimmune polyglandular disease, autoimmune alopecia, pernicious anemia, vitiligo, autoimmune hypopituatarism, Guillain-Barre syndrome, other autoimmune diseases, cancers where Lck or other Src-family kinases such as Src are activated or overexpressed, such as colon carcinoma and thymoma, or cancers where Src-family kinase activity facilitates tumor growth or survival, glomerulonephritis, serum sickness, uticaria, allergic diseases such as respiratory allergies (asthma, hayfever, allergic rhinitis) or skin allergies, scleracierma, mycosis fungoides, acute inflammatory responses such as acute respiratory distress syndrome and ischemia/reperfusion injury , dermatomyositis, alopecia areata, chronic actinic dermatitis, eczema, Behcet's disease, Pustulosis palmoplanteris, Pyoderma gangrenum, Sezary's syndrome, atopic dermatitis, systemic sclerosis and morphea. ACTIVITY - None given. MECHANISM OF ACTION - protein tyrosine kinase inhibitor ESPECIALLY Src-family kinases such as Lck, Fyn, Lyn, Src, Yes, Hck, Fgr and Blk.

Full Title	Citation Fro	ont Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Drawt De
T 20	D	ID. HC 2	700676 4		<del></del>					
I 28.	Document	ID: US 2	/090/0 A							
L2: Entry	28 of 28				File: U	SOC		May	31,	1955

US-PAT-NO: 2709676


DOCUMENT-IDENTIFIER: US 2709676 A

TITLE: Production of coke agglomerates

DATE-ISSUED: May 31, 1955

INVENTOR-NAME: KREBS ROBERT W

US-CL-CURRENT: 208/53; 201/42, 201/5, 208/127, 423/DIG.16, 44/572



# **Hit List**

First Hit Clear Generate Gollection Print Fwd Refs Bkwd Refs Generate OACS

**Search Results -** Record(s) 1 through 19 of 19 returned.

☐ 1. Document ID: US 20060052416 A1

L5: Entry 1 of 19 File: PGPB Mar 9, 2006

PGPUB-DOCUMENT-NUMBER: 20060052416

PGPUB-FILING-TYPE:

DOCUMENT-IDENTIFIER: US 20060052416 A1

TITLE: 2-Amido-thiazole-based compounds exhibiting ATP-utilizing enzyme inhibitory

activity, and compositions, and uses thereof

PUBLICATION-DATE: March 9, 2006

INVENTOR-INFORMATION:

CITY STATE COUNTRY NAME NC Dickson; John K. JR. US Apex Hodge; Carl Nicholas Los Gatos CA US Mendoza; Jose Serafin Chapel Hill NC US Chen; Ke Chapel Hill NC US

US-CL-CURRENT: 514/314; 514/340, 514/370, 546/156, 546/269.7, 548/192

Full Title	Citation F	ront Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De
,	,	,	,					· · · · ·		

☐ 2. Document ID: US 20060009460 A1

L5: Entry 2 of 19 File: PGPB Jan 12, 2006

PGPUB-DOCUMENT-NUMBER: 20060009460

PGPUB-FILING-TYPE:

DOCUMENT-IDENTIFIER: US 20060009460 A1

TITLE: Quinoline- and isoquinoline-based compounds exhibiting ATP-utilizing enzyme

inhibitory activity, and compositions, and uses thereof

PUBLICATION-DATE: January 12, 2006

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY Dickson; John K. JR. Apex NC US Williams; Kevin P. Chapel Hill NC US Hodge; Carl Nicholas Los Gatos CA US

Page 2 of 11

US-CL-CURRENT: 514/252.02; 514/253.06, 544/238, 544/363

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw. De

☐ 3. Document ID: US 20050288347 A1

L5: Entry 3 of 19

File: PGPB

Dec 29, 2005

Sep 15, 2005

PGPUB-DOCUMENT-NUMBER: 20050288347

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050288347 A1

TITLE: Certain triazole-based compounds, compositions, and uses thereof

PUBLICATION-DATE: December 29, 2005

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY Hodge, Carl Nicholas Los Gatos CA US Dickson, John K. JR. Apex NC US NC Popa-Burke, Ioana G. Durham US Mendoza, Jose Serafin Chapel Hill NC US

US-CL-CURRENT: 514/383; 548/263.2, 548/264.8

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWC	Drawi De
			<del></del>								<del> </del>	
	4.	Documen	t ID:	US 20	050203114	A1						

File: PGPB

PGPUB-DOCUMENT-NUMBER: 20050203114

PGPUB-FILING-TYPE: new

L5: Entry 4 of 19

DOCUMENT-IDENTIFIER: US 20050203114 A1

TITLE: Kinase inhibitors

PUBLICATION-DATE: September 15, 2005

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY
Armistead, David M.	Sudbury	MA	US
Bemis, Jean E.	Arlington	MA	US
DiPietro, Lucian V.	Gloucester	MA	US
Geuns-Meyer, Stephanie D.	Medford	MA	US
Habgood, Gregory J.	Merrimac	MA	US
Kim, Joseph L.	Wayland	MA	US
Nunes, Joseph J.	Andover	MA	US
Patel, Vinod F.	Acton	MA	US

Page 3 of 11

Record List Display

Toledo-Sherman, Leticia M.

Venice

CA

US

US-CL-CURRENT: 514/269; 514/275, 544/317, 544/323

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw. De

☐ 5. Document ID: US 20050187219 A1

L5: Entry 5 of 19

File: PGPB

Aug 25, 2005

PGPUB-DOCUMENT-NUMBER: 20050187219

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050187219 A1

TITLE: Pyrazolotriazines as kinase inhibitors

PUBLICATION-DATE: August 25, 2005

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY

Guzi, Timothy J. Chatham NJ US
Paruch, Kamil Garwood NJ US

US-CL-CURRENT: 514/246; 544/184

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De

☐ 6. Document ID: US 20050131006 A1

L5: Entry 6 of 19 File: PGPB Jun 16, 2005

PGPUB-DOCUMENT-NUMBER: 20050131006

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050131006 A1

TITLE: Receptor tyrosine kinase signaling pathway analysis for diagnosis and

therapy

PUBLICATION-DATE: June 16, 2005

INVENTOR - INFORMATION:

NAME CITY STATE COUNTRY CA US Mukherjee, Ali Belmont San Jose Tang, Mengxiang CA US Pannu, Harprit S. San Jose CA US Chan-Hui, Po-Ying Mayne Island CA GB Singh, Sharat Los Altos US

US-CL-CURRENT: 514/291; 435/6

Record List Display Page 4 of 11

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw. De

☐ 7. Document ID: US 20050084905 A1

L5: Entry 7 of 19

File: PGPB

Apr 21, 2005

PGPUB-DOCUMENT-NUMBER: 20050084905

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050084905 A1

TITLE: Identification of kinase inhibitors

PUBLICATION-DATE: April 21, 2005

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY

Prescott, John C. San Francisco CA US
Braisted, Andrew San Francisco CA US
Morrow, Joelle US

US-CL-CURRENT: 435/7.1; 435/15

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De

☐ 8. Document ID: US 20040249586 A1

L5: Entry 8 of 19 File: PGPB Dec 9, 2004

PGPUB-DOCUMENT-NUMBER: 20040249586

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040249586 A1

TITLE: Molecular modification assays

PUBLICATION-DATE: December 9, 2004

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY Boge, Annegret San Jose CA US Lavis, Luke D. Madison WI US Sportsman, J. Richard Palo Alto CA US Hoekstra, Merl F. Monroe WA US Huang, Wei Sunnyvale CA US

US-CL-CURRENT: 702/57

Full Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, D
<u>' _ '</u>	· · · · ·		•			ı					

Page 5 of 11

☐ 9. Document ID: US 20040248884 A1

L5: Entry 9 of 19

File: PGPB

Dec 9, 2004

PGPUB-DOCUMENT-NUMBER: 20040248884

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040248884 A1

TITLE: Novel cyclic urea derivatives, preparation thereof and pharmaceutical use

thereof as kinase inhibitors

PUBLICATION-DATE: December 9, 2004

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY
Patek, Marcel	Tucson	AZ	US
Nair, Anil	Tucson	AZ	US
Hittinger, Augustin	Igny	AZ	FR
Nemecek, Conception	Thiais	CO	FR
Bond, Daniel	Tucson	AZ .	US
Harlow, Greg	Boulder	NJ	US
Bouchard, Herve	Thiais	AZ	FR
Mauger, Jacques	Tucson	PA	US
Malleron, Jean-Luc	Marcoussis		FR
Palermo, Mark	Peapack		US
Al-Obeidi, Fahad	Tucson		US
Faitg, Thomas	Exton		US
Strobel, Hartmut	Liederbach		DE
Ruf, Sven	Floersheim		DE
Ritter, Kurt	Frankfurt Am Main		DE
El-Ahmad, Youssef	Creteil		FR
Lesuisse, Dominique	Montreuil		FR

US-CL-CURRENT: 514/218; 514/269, 540/575, 544/310

Full	Title	Citation	Front	Review	Classification	Date	Referen	e Sequences	Attachments	Claims	KWAC	Drawt De
						,						
	10.	Docum	ent ID	: US 2	004022929	9 A1						
L5: :	Entry	10 of	19				File:	PGPB		Nov	18,	2004

PGPUB-DOCUMENT-NUMBER: 20040229299

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040229299 A1

TITLE: Intracellular complexes as biomarkers

PUBLICATION-DATE: November 18, 2004

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY
Badal, M. Youssouf	Sunnyvale	CA	US
Jin, Xueguang	Santa Clara	CA	US
Salimi-Moosavi, Hossein	Sunnyvale	CA	US
Sharat, Singh	Los Altos	CA	US

US-CL-CURRENT: 435/7.23

Full Title	Citation Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De
							· · · · · · · · · · · · · · · · · · ·			
□ 11.	Document ID	: US 2	004014311	7 A1						
L5: Entry	11 of 19				File:	PGPB		Jul	22,	2004

PGPUB-DOCUMENT-NUMBER: 20040143117

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040143117 A1

TITLE: Inhibitors of akt activity

PUBLICATION-DATE: July 22, 2004

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY Barnett, Stanley F. North Wales PA US Graham, Samuel L. Schwenksville PA US Remy, David C. North Wales PΑ US

US-CL-CURRENT: <u>544/353</u>

Full	Title Cita	tion Front	Review	Classification	Date	Referenc	e Sequences	Attachments	Claims	KWIC	Draw, De
	*****			<del>*************************************</del>							
	12. Do	ument II	): US 2	004011638	8 A1						
	ntry 12	_				File:				17,	

PGPUB-DOCUMENT-NUMBER: 20040116388

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040116388 A1

TITLE: Kinase inhibitors

PUBLICATION-DATE: June 17, 2004

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY Armistead, David M. Sudbury MA US Bemis, Jean E. Arlington US MA Buchanan, John L. Brookline MA US

DiPietro, Lucian V.	Gloucester	MA	US
Elbaum, Daniel	Newton	MA	US
Geuns-Meyer, Stephanie D.	Medford	MA	US
Habgood, Gregory J.	Merrimack	MA	US
Kim, Joseph L.	Wayland	MA	US
Marshall, Teresa L.	Stow	MA	US
Novak, Perry M.	Milford	MA	US
Nunes, Joseph J.	Andover	MA	US
Patel, Vinod F.	Acton	MA	US
Toledo-Shrman, Leticia M.	Somerville	MA	US
Zhu, Xiaotian	Watertown	MA	US

US-CL-CURRENT: 514/84; 514/241, 544/205, 544/206

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De
 		_			004040654							

☐ 13. Document ID: US 20040106540 A1

L5: Entry 13 of 19

File: PGPB

Jun 3, 2004

PGPUB-DOCUMENT-NUMBER: 20040106540

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040106540 A1

TITLE: Method of treating cancer

PUBLICATION-DATE: June 3, 2004

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY
Barnett, Stanley F	North Wales	PA	us
DeFeo-Jones, Deborah	Lansdale	PA	US
Haskell, Kathleen M	Colmar	PA	US
Huber, Hans E	Lansdale	PA	US
Nahas, Deborah D	Perkasie	PA	US

US-CL-CURRENT: 514/2

Full	Title	Citation	Front	Review	Classification	Date	Referen	ce   Sequence:	Attachments	Claims	KOMC	:   Drawi De
	14.	Docum	nent ID	: US 2	004010236	0 A1						
L5: E	ntry	14 of	19				File:	PGPB		May	27,	2004

PGPUB-DOCUMENT-NUMBER: 20040102360

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040102360 A1

TITLE: Combination therapy

US

PUBLICATION-DATE: May 27, 2004

INVENTOR - INFORMATION:

CITY STATE COUNTRY NAME North Wales PA US Barnett, Stanley F. US Lansdale PA DeFeo-Jones, Deborah D. Lansdale PΑ US Hartman, George D. US Huber, Hans E. Lansdale PA Stirdivant, Steven M. Doylestown PA US Heimbrook, David C. Coopersburg PA US

US-CL-CURRENT: 514/1

Full Title	Citation Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Drawu De
				i						
□ 15.	Document ID	: US 2	003023239	1 A1						
L5: Entry	15 of 19				File: Po	GPB		Dec	18,	2003

PGPUB-DOCUMENT-NUMBER: 20030232391

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030232391 A1

TITLE: Identification of kinase inhibitors

PUBLICATION-DATE: December 18, 2003

INVENTOR-INFORMATION:

CITY STATE COUNTRY NAME

Prescott, John C. San Francisco CA

Braisted, Andrew San Francisco CA US

US-CL-CURRENT: 435/7.1; 435/15

į	Full	Title	Citation	Front	Review	Classification	Date	Reference	:   Sequences	Attachments	Claims	KWIC	Draw, De
							,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
		16.	Docum	ent ID	: US 2	003019953	4 A1						
	L5:	Entry	16 of	19				File:	PGPB		Oct	23,	2003

PGPUB-DOCUMENT-NUMBER: 20030199534

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030199534 A1

TITLE: Kinase inhibitors

PUBLICATION-DATE: October 23, 2003

INVENTOR-INFORMATION:

NAME STATE CITY COUNTRY

Page 9 of 11

Record List Display

US Armistead, David M. Sudbury MA Bemis, Jean E. Arlington MA US MA US DiPietro, Lucian V. Gloucester Geuns-Meyer, Stephanie D. Medford MA US Habgood, Gregory J. Merrimac MA US Kim, Joseph L. Wayland MA US Andover Nunes, Joseph J. MA US Patel, Vinod F. Acton MA US Toledo-Sherman, Leticia M. Somerville MA US

US-CL-CURRENT: 514/275; 544/323, 544/324

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Drawu De
	17	Dogum	ont ID	. 110 2	002014420	<b>4 4 1</b>						

☐ 17. Document ID: US 20030144204 A1

L5: Entry 17 of 19

File: PGPB

Jul 31, 2003

PGPUB-DOCUMENT-NUMBER: 20030144204

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030144204 A1

TITLE: Akt-based inducible survival switch

PUBLICATION-DATE: July 31, 2003

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

Spencer, David

Houston

TX

US

US-CL-CURRENT:  $\underline{514}/\underline{12}$ ;  $\underline{435}/\underline{320.1}$ ,  $\underline{435}/\underline{325}$ ,  $\underline{514}/\underline{44}$ ,  $\underline{530}/\underline{350}$ ,  $\underline{536}/\underline{23.5}$ 

ĺ	Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KOMO	Draw, De
							*****						
		18.	Docum	ent ID	: US 2	003000417	4 A9						
	L5:	Entry	18 of	19				File:	PGPB		Jan	2,	2003

PGPUB-DOCUMENT-NUMBER: 20030004174

PGPUB-FILING-TYPE: corrected

DOCUMENT-IDENTIFIER: US 20030004174 A9

TITLE: Kinase inhibitors

PUBLICATION-DATE: January 2, 2003

PRIOR-PUBLICATION:

DOC-ID

DATE

US 0052386 A1

May 2, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY
Armistead, David M.	Sudbury	MA	US
Bemis, Jean E.	Arlington	MA	US
DiPietro, Lucian V.	Gloucester	MA	US
Geuns-Meyer, Stephanie D.	Medford	MA	US
Habgood, Gregory J.	Merrimac	MA	US
Kim, Joseph L.	Wayland	MA	US
Nunes, Joseph J.	Andover	MA	US
Patel, Vinod F.	Acton	MA	US
Toledo-Sherman, Leticia M.	Somerville	MA	US

US-CL-CURRENT: 514/269; 514/272, 544/309, 544/323

Full Title	Citation Front R	leview Classification	Date Reference	Sequences	Attachments	Claims	KWIC	Draw, De
□ 19.	Document ID:	US 20020052386	6 A1					
L5: Entry	19 of 19		File:	PGPB		Mav	2.	2002

PGPUB-DOCUMENT-NUMBER: 20020052386

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020052386 A1

TITLE: Kinase inhibitors

PUBLICATION-DATE: May 2, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY
Armistead, David M.	Sudbury	MA	US
Bemis, Jean E.	Arlington	MA	US
DiPietro, Lucian V.	Gloucester	MA	US
Geuns-Meyer, Stephanie D.	Medford	MA	US
Habgood, Gregory J.	Merrimac	MA	US
Kim, Joseph L.	Wayland	MA	US
Nunes, Joseph J.	Andover	MA	US
Patel, Vinod F.	Acton	MA	US
Toledo-Sherman, Leticia M.	Somerville	MA	US

US-CL-CURRENT: 514/269; 514/272, 544/309, 544/323

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De
Clear		Gener	169 ex	lection	Print	wd Refs	is Bland Reis Generate OA					
	[ <del></del>										<b>—</b>	_
	Ter	ms				I	Documents					
	[]					H						

L4 and crystal 19

Display Format: CIT Change Format

Previous Page Next Page Go to Doc#

# **Hit List**

First Hit Clear Generate Collection Print Fwd Refs Blawd Refs
Generate OAGS

Search Results - Record(s) 1 through 12 of 12 returned.

☐ 1. Document ID: US 20060069066 A1

L7: Entry 1 of 12 File: PGPB Mar 30, 2006

PGPUB-DOCUMENT-NUMBER: 20060069066

PGPUB-FILING-TYPE:

DOCUMENT-IDENTIFIER: US 20060069066 A1

TITLE: Glycogen synthase kinase-3 inhibitors

PUBLICATION-DATE: March 30, 2006

INVENTOR - INFORMATION:

NAME CITY STATE COUNTRY

Eldar-Finkelman; Hagit Shoham IL
Portnoy; Moshe Givat Shmuel IL

US-CL-CURRENT: 514/80; 546/22, 548/113

Ful	T	itle	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De
						·					,		

☐ 2. Document ID: US 20060003431 A1

L7: Entry 2 of 12 File: PGPB Jan 5, 2006

PGPUB-DOCUMENT-NUMBER: 20060003431

PGPUB-FILING-TYPE:

DOCUMENT-IDENTIFIER: US 20060003431 A1

TITLE: Structure of protein kinase C theta

PUBLICATION-DATE: January 5, 2006

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY Xu; Zhang Bao Tewksbury MA US Olland; Stephane Arlington MA US Wolfrom; Scott Somerville MA US Malakian; Karl Boxborough MA US Lin; Laura Weston MA US Stahl; Mark Lexington US MA Lee; Julie Somerville MA US

Fitz; Lori	Somerville	MA	US
Greco; Rita	Charlestown	MA	US
Chaudhary; Divya	Andover	MA	US
Somers; William Stuart	Lexington	MA	US
Mosyak; Lidia	Newton	MA	US

US-CL-CURRENT: 435/194; 514/211.08, 702/19

Full Title Citation Front Review Classification Da	te Reference Sequences	Attachments Claims KMC Draw De
☐ 3. Document ID: US 20060003322 A1		
L7: Entry 3 of 12	File: PGPB	Jan 5, 2006

PGPUB-DOCUMENT-NUMBER: 20060003322

PGPUB-FILING-TYPE:

DOCUMENT-IDENTIFIER: US 20060003322 A1

TITLE: Bioinformatically detectable group of novel regulatory genes and uses

thereof

PUBLICATION-DATE: January 5, 2006

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY

Bentwich; Isaac Kvuzat Shiler IL

US-CL-CURRENT: 435/6

Full Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMC	Draw. D
							<del></del>				
□ 4.	Documen	nt ID:	US 20	050142610	<b>A</b> 1						
L7: Entry	. 1 of 1	2			τ	File: PG	מסי		Jun	3.0	2005

PGPUB-DOCUMENT-NUMBER: 20050142610

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050142610 A1

TITLE: Variant polypeptides containing plekstrin homology domains and uses therefor

PUBLICATION-DATE: June 30, 2005

INVENTOR-INFORMATION:

CITY NAME STATE COUNTRY Lambright, David G. Marlborough MA US Westborough Czech, Michael P. MA US Cronin, Thomas MA US Worcester

US-CL-CURRENT: 435/7.1; 530/350, 536/23.5

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw. De

☐ 5. Document ID: US 20050124819 A1

L7: Entry 5 of 12

File: PGPB

Jun 9, 2005

PGPUB-DOCUMENT-NUMBER: 20050124819

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050124819 A1

TITLE: Metal-organic polyhedra

PUBLICATION-DATE: June 9, 2005

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY

Yaghi, Omar M. Ann Arbor ΜI US Sudik, Andrea C. Canton ΜI US

US-CL-CURRENT: <u>556/148</u>

F	ull	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De

☐ 6. Document ID: US 20040267510 A1

File: PGPB L7: Entry 6 of 12 Dec 30, 2004

PGPUB-DOCUMENT-NUMBER: 20040267510

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040267510 A1

TITLE: Molecular modeling methods

PUBLICATION-DATE: December 30, 2004

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY Bemis, Guy Arlington MA US Caron, Paul Malden MA US Cambridge Hare, Brian MA US Walters, W. Patrick Westborough MA US

US-CL-CURRENT: 703/11

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De
								<u> </u>		•		

☐ 7. Document ID: US 20040220202 A1

Record List Display Page 4 of 6

L7: Entry 7 of 12

File: PGPB

Nov 4, 2004

PGPUB-DOCUMENT-NUMBER: 20040220202

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040220202 A1

TITLE: Neuroprotective and anti-proliferative compounds

PUBLICATION-DATE: November 4, 2004

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY

Jaquith, James B. Pincourt CA
Fallis, Alexander Graham Ottawa CA
Gillard, John W. Baie D'Urfe CA
Laurent, Alain Montreal CA

US-CL-CURRENT: 514/280; 514/410, 546/41, 548/416

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De
	8. I	Docume	nt ID:	US 20	040171075	<b>A</b> 1						
L7: Entry 8 of 12							File: P	GPB		Sep	2,	2004

PGPUB-DOCUMENT-NUMBER: 20040171075

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040171075 A1

TITLE: Modulation of protein functionalities

PUBLICATION-DATE: September 2, 2004

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY

Flynn, Daniel L. Lawrence KS US
Petillo, Peter A. Arlington MA US

US-CL-CURRENT: 435/7.1; 702/19

Full Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw. De
□ 9.	Documen	t ID:	US 20	040102467	<b>A</b> 1						
L7: Entry	9 of 12	2			E	File: Po	GPB		Mav	27,	2004

PGPUB-DOCUMENT-NUMBER: 20040102467

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040102467 A1

Page 5 of 6

Record List Display

TITLE: Neuroprotective and anti-proliferative compounds

PUBLICATION-DATE: May 27, 2004

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY

Jaquith, James BPincourtCAFallis, AlexOttawaCAGillard, John WBaie D'UrfeCA

US-CL-CURRENT: 514/279; 514/394, 546/40, 548/305.1

	Full	Title	Citation	Front	Review	Classification	Date	Referenc	e Sequences	Attachments	Claims	KWIC	Draw, De
-					•••••								
		10.	Docum	ent ID	: US 2	:004000956	9 A1						
	L7:	Entry	10 of	12				File:	PGPB		Jan	15,	2004

PGPUB-DOCUMENT-NUMBER: 20040009569

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040009569 A1

TITLE: Kinase crystal structures and materials and methods for kinase activation

PUBLICATION-DATE: January 15, 2004

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY

Barford, David London GB
Yang, Jing Middlesex GB
Hemmings, Brian Arthur Bettingen CH
Cron, Peter David Basel CH

US-CL-CURRENT: 435/194; 702/19

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Drawt De
	11.	Docum	ent ID	: US 2	004000568	7 A1						
L7: 1	Entry	11 of	12				File:	PGPB		Jan	8.	2004
ш/.	ciicry	II OI	12				LIIC.	FGFD		Uali	ο,	2004

PGPUB-DOCUMENT-NUMBER: 20040005687

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040005687 A1


TITLE: Kinase crystal structures

PUBLICATION-DATE: January 8, 2004

INVENTOR-INFORMATION:

STATE CITY COUNTRY NAME Barford, David London GB Middlesex Yang, Jing GB Bettingen CH Hemmings, Brian Arthur Basel CH Cron, Peter David

US-CL-CURRENT: 435/194; 702/19



PGPUB-DOCUMENT-NUMBER: 20030194745

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030194745 A1

TITLE: Cysteine mutants and methods for detecting ligand binding to biological

molecules


PUBLICATION-DATE: October 16, 2003

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY McDowell, Robert S. San Francisco CA US

Flanagan, W. Michael Menlo Park CA US

US-CL-CURRENT: 435/7.1; 702/19



Display Format: CIT Change Format

Previous Page Next Page Go to Doc#

Record List Display Page 1 of 13

**Hit List** 

First Hit Clear Generate Collection Print Fwd Refs Blawd Refs

Generate OACS

**Search Results -** Record(s) 1 through 17 of 17 returned.

☐ 1. Document ID: US 6890747 B2

Using default format because multiple data bases are involved.

L9: Entry 1 of 17

File: USPT

May 10, 2005

US-PAT-NO: 6890747

DOCUMENT-IDENTIFIER: US 6890747 B2

TITLE: Phosphoinositide 3-kinases

DATE-ISSUED: May 10, 2005

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Williams; Roger Cambridge GB
Ried; Christian Berlin DE
Walker; Edward H. Chesterton GB
Stephens; Len Horseheath GB

US-CL-CURRENT: <u>435/194</u>

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De
								•				

☐ 2. Document ID: US 6780625 B2

L9: Entry 2 of 17 File: USPT Aug 24, 2004

US-PAT-NO: 6780625

DOCUMENT-IDENTIFIER: US 6780625 B2

TITLE: Glycogen synthase kinase-3 inhibitors

DATE-ISSUED: August 24, 2004

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Eldar-Finkelman; Hagit Shoham IL

US-CL-CURRENT:  $\underline{435}/\underline{194}$ ;  $\underline{435}/\underline{15}$ ,  $\underline{514}/\underline{7}$ ,  $\underline{530}/\underline{324}$ ,  $\underline{530}/\underline{325}$ ,  $\underline{530}/\underline{326}$ ,  $\underline{530}/\underline{327}$ ,  $\underline{530}/\underline{328}$ ,

530/329

ABSTRACT:

Page 2 of 13

Peptide inhibitors of glycogen synthase kinase-3 (GSK-3) have an amino acid sequence motif of XZXXXS(p)X, wherein S(p)=phosphorylated serine or phosphorylated threonine, X=any amino acid, and Z=any amino acid except serine or threonine. These inhibitors, which are about 7 to 50 amino acids long, are specific for GSK-3 and strongly inhibit the enzyme with an IC.sub.50 of about 150 .mu.M. Also provided are methods of treating biological conditions mediated by GSK-3 activity, such as potentiating insulin signaling in a subject, treating or preventing type 2 diabetes in a patient, and treating Alzheimer's Disease by administering peptide inhibitors. Compositions of these peptide inhibitors and pharmaceutically acceptable carriers are also provided, as is a method for identifying inhibitors of GSK-3. The invention further relates to a computer-assisted method of structure based drug design of GSK-3 inhibitors using a three-dimensional structure of a peptide substrate of GSK-3.

13 Claims, 11 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 7

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWC	Draw, De

## ☐ 3. Document ID: US 5352388 A

L9: Entry 3 of 17

File: USPT

Oct 4, 1994

US-PAT-NO: 5352388

DOCUMENT-IDENTIFIER: US 5352388 A

TITLE: Non-linear optical device

DATE-ISSUED: October 4, 1994

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Seddon; Kenneth R.	West Sussex			GB2
Aakeroy; Christer B.	West Sussex			GB2
Blagden; Nicholas	Merseyside			GB2
Patell; Yasmin	Kent			GB2

US-CL-CURRENT: <u>252/582</u>; <u>252/587</u>, <u>359/328</u>

#### ABSTRACT:

A non-linear optical device comprises a crystalline, second harmonic generator material mounted in the optical path of a laser, in which the crystalline material consists of a slat of a chiral carboxylic acid and an organic nitrogenous base which has a noncentrosymmetric crystal structure.

10 Claims, 1 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 1

Page 3 of 13 Record List Display

# Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw. De

## ☐ 4. Document ID: WO 3016517 A2

L9: Entry 4 of 17

File: EPAB

Feb 27, 2003

PUB-NO: WO003016517A2

DOCUMENT-IDENTIFIER: WO 3016517 A2 TITLE: KINASE CRYSTAL STRUCTURES

PUBN-DATE: February 27, 2003

INVENTOR-INFORMATION:

COUNTRY NAME BARFORD, DAVID GB GB YANG, JING HEMMINGS, BRIAN ARTHUR CH CRON, PETER DAVID CH

INT-CL (IPC): C12 N 9/12; C12 N 15/54; C12 N 5/10; G01 N 33/573; G01 N 23/20

EUR-CL (EPC): C12N009/12

### ABSTRACT:

CHG DATE=20030403 STATUS=0>Disclosed are mutants of protein kinase B/Akt which can be crystallised in an enzymaticallyactive conformation, crystals of these mutants and X-ray coordinate data for the crystals. Also disclosed are methods of using the coordinate data provided for identification ofmodulators of protein kinase activity and for structural analysis of other proteinkinases, in particular AGC kinases.

F	ull	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw. De

## ☐ 5. Document ID: WO 3016516 A2

L9: Entry 5 of 17

File: EPAB

Feb 27, 2003

PUB-NO: WO003016516A2

DOCUMENT-IDENTIFIER: WO 3016516 A2

TITLE: KINASE CRYSTAL STRUCTURES AND MATERIALS AND METHODS FOR KINASE ACTIVATION

PUBN-DATE: February 27, 2003

INVENTOR - INFORMATION:

NAME COUNTRY BARFORD, DAVID GB YANG, JING GB HEMMINGS, BRIAN ARTHUR CH CRON, PETER DAVID CH

Record List Display Page 4 of 13

INT-CL (IPC): C12 N 9/12; C12 N 15/54; C12 N 5/10; G01 N 33/573; G01 N 23/20

EUR-CL (EPC): C12N009/12

### ABSTRACT:

CHG DATE=20030403 STATUS=O>Disclosed are crystallisable mutants of protein kinase B/Akt, crystals of these mutants, and X-ray coordinate data for the crystals. Methods of use of the coordinate data for identification of modulators of protein kinase activity and for structural analysis of other protein kinases are provided. Also provided are methods of activating protein kinases, in particular AGC kinases, using peptide or non-peptide mimetics of sequences from protein kinase B/Akt, or other AGC protein kinases such as PRK2.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMAC	Drawt De
**************************************		,	<del>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</del>								<del>wpww:==================================</del>	
_	_	_										

☐ 6. Document ID: WO 2005113762 A1

L9: Entry 6 of 17

File: DWPI

Dec 1, 2005

DERWENT-ACC-NO: 2006-056460

DERWENT-WEEK: 200606

COPYRIGHT 2006 DERWENT INFORMATION LTD

TITLE: New <u>crystal</u> composition of the catalytic domain of the active form of protein kinase B (Akt-1) useful in identifying Akt-1 ligands for treating cancers

INVENTOR: PANDIT, J

PRIORITY-DATA: 2004US-572304P (May 18, 2004)

PATENT-FAMILY:

PUB-NO PUB-DATE LANGUAGE PAGES MAIN-IPC WO 2005113762 A1 December 1, 2005 E 142 C12N009/12

INT-CL (IPC): C12 N 9/12

ABSTRACTED-PUB-NO: WO2005113762A

BASIC-ABSTRACT:

NOVELTY - Crystal composition (I) of the catalytic domain of the active form of protein kinase B (Akt-1), is new.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for:

- (1) a crystal (II) of a protein-ligand molecule or molecular complex comprising: a polypeptide with an amino acid sequence from Arg144 to Ala480 listed in a fully defined 480 amino acid (SEQ ID No. 1) sequence given in the specification, its homologue, analogue or variant; a ligand; and the crystal effectively diffracts X-rays for the determination of atomic structure coordinates of the protein-ligand complex to a resolution of greater than 2.02 Angstroms;
- (2) designing a compound that binds to Akt-1 using (I), comprising selecting a compound by performing structure-based drug design with the atomic structure

coordinated determined for the crystal, where the selection is performed in conjunction with computer modeling;

- (3) a computer for producing a three-dimensional representation of a polypeptide with an amino acid sequence spanning amino acids Arg144 to Ala480 listed in SEQ ID NO. 1, or its homologue or variant, comprising: a computer-readable data storage medium comprising a data storage material encoded with computer-readable data (where the data comprises the structure coordinates that are given in the specification) or its portions; a working memory for storing instructions for processing the computer-readable data; a central-processing unit coupled to the working memory and to the computer-readable data storage medium for processing the computer-machine readable data into the three-dimensional representation; and a display coupled to the central-processing unit for displaying the representation;
- (4) a computer for producing a three-dimensional representation of a molecule or molecular complex comprising: a binding site defined by the structure coordinates that are given in the specification, or the structural coordinates of a portion of the residues that are given in the specification, or the structural coordinates of one or more Akt-1 amino acids in SEQ ID NO. 1 (Val164, Ala177, Lys179, Glu228, Tyr229, Ala230, Lys276, Met281 or Thr291), where the computer comprises; a computer-readable data storage medium comprising a data storage material encoded with computer-readable data, where the data comprises the structure coordinates that are given in the specification, or its portions; a working memory for storing instructions for processing the computer-readable data; a central-processing unit coupled to the working memory and to the computer-readable data storage medium for processing the computer machine readable data into the three-dimensional representation; and a display coupled to the central-processing unit for displaying the representation; and
- (5) identifying potential ligands for Akt-1 or its homologues, analogues or variants, comprising: displaying three dimensional structure of Akt-1 enzyme or its portions, as defined by atomic structure coordinates given in the specification, on a computer display screen; optionally replacing one or more Akt-1 enzyme amino acid residues listed in SEQ ID NO. 1, or one or more of the amino acids listed in the tables of the specification, or one or more amino acid residues (Val164, Ala177, Lys179, Glu228, Tyr229, Ala230, Lys276, Met281 or Thr291) in the three-dimensional structure with a different naturally occurring amino acid or an unnatural amino acid; employing the three-dimensional structure to design or select the ligand; contacting the ligand with Akt-1 or its variant, in the presence of one or more substrates; and measuring the ability of the ligand to modulate the activity of Akt-1.

ACTIVITY - Cytostatic.

No biological data given.

MECHANISM OF ACTION - None given.

USE - (I) is useful in identifying Akt-1 ligands, including Akt-1 inhibitor compounds; and the compositions containing the ligand are useful for the treatment of a variety of cancers (e.g. breast, prostate, colon, lung pancreas and colorectal cancers).

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Drawt D

☐ 7. Document ID: JP 2005525785 W, WO 2003016517 A2, US 20040005687 A1, EP 1417303 A2, AU 2002321458 A1

Record List Display Page 6 of 13

L9: Entry 7 of 17 File: DWPI Sep 2, 2005

DERWENT-ACC-NO: 2003-268329

DERWENT-WEEK: 200559

COPYRIGHT 2006 DERWENT INFORMATION LTD

TITLE: New <u>crystal of protein kinase B</u> beta, useful for activating protein kinases, e.g. AGC kinases, comprises three-dimensional atomic coordinates or a tetragonal space group

INVENTOR: BARFORD, D; CRON, P D; HEMMINGS, B A; YANG, J

PRIORITY-DATA: 2002GB-0016215 (July 12, 2002), 2001GB-0019860 (August 14, 2001), 2002GB-0009985 (May 1, 2002)

#### PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
JP 2005525785 W	September 2, 2005		205	C12N009/12
WO 2003016517 A2	February 27, 2003	E	124	C12N009/12
US 20040005687 A1	January 8, 2004		000	G06F019/00
EP 1417303 A2	May 12, 2004	E	000	C12N009/12
AU 2002321458 A1	March 3, 2003		000	C12N009/12

INT-CL (IPC):  $\underline{\text{C07}}$  K  $\underline{\text{19}}/\underline{\text{00}}$ ;  $\underline{\text{C12}}$  N  $\underline{\text{5}}/\underline{\text{10}}$ ;  $\underline{\text{C12}}$  N  $\underline{\text{9}}/\underline{\text{12}}$ ;  $\underline{\text{C12}}$  N  $\underline{\text{15}}/\underline{\text{54}}$ ;  $\underline{\text{G01}}$  N  $\underline{\text{23}}/\underline{\text{20}}$ ;  $\underline{\text{G01}}$  N  $\underline{\text{33}}/\underline{\text{50}}$ ;  $\underline{\text{G01}}$  N  $\underline{\text{33}}/\underline{\text{573}}$ ;  $\underline{\text{G06}}$  F  $\underline{\text{17}}/\underline{\text{30}}$ ;  $\underline{\text{G06}}$  F  $\underline{\text{19}}/\underline{\text{00}}$ 

ABSTRACTED-PUB-NO: WO2003016517A BASIC-ABSTRACT:

NOVELTY - A <u>crystal of protein kinase B</u> beta ( $\underline{PKB}$  beta ) comprising (I), is new. 3-D protein coordinate data is given in the specification.

DETAILED DESCRIPTION - (I) comprises:

- (a) a tetragonal space group P212121, and unit cell dimensions of: a=44.94~plus or minus 0.5 Angstrom , b=61.00~plus or minus 0.5 Angstrom , c=131.32~plus or minus 0.5 Angstrom ; or
- (b) the three-dimensional atomic coordinates fully defined in the specification.

INDEPENDENT CLAIMS are included for the following:

- (1) determining the structure of a PKB derivative;
- (2) analyzing a PKB beta -ligand complex;
- (3) determining a three-dimensional structure for a target kinase;
- (4) a computer system or computer-readable media containing:
- (a) atomic coordinate data listed in the specification, which defines the three-dimensional structure of PKB, or at least its selected coordinates;
- (b) structure factor data derived from the atomic coordinate data cited above;
- (c) a Fourier transform of the atomic coordinate data cited above;

Page 7 of 13 Record List Display

(d) atomic coordinate data of a target kinase generated by homology modeling of the target based on the data listed in the specification;

- (e) atomic coordinate data of a target kinase generated by interpreting X-ray crystallographic data or NMR data by reference to any of the data listed in the specification; or
- (f) structure factor data derived from the atomic coordinate data of (c)-(e);
- (5) modeling the interaction between PKB and an agent compound that modulates PKB activity;
- (6) identifying an agent compound that modulates PKB activity; and
- (7) a compound identified as a modulator of PKB activity by method (6).

ACTIVITY - Cytostatic; Antidiabetic; Vasotropic; Nootropic; Neuroprotective. No biological data given.

MECHANISM OF ACTION - Gene therapy.

USE - The crystal of PKB beta and methods are useful in activating protein kinases, particularly AGC kinases, for identifying modulators of protein kinase activity, and for structural analysis of other protein kinases. The crystal may also be used in manufacturing a medicament for treating cancers, diabetes, erectile dysfunction or neurodegeneration.

Full Titl	e Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De

8. Document ID: JP 2005500844 W, WO 2003016516 A2, US 20040009569 A1, EP 1417302 A2, EP 1417303 A2, AU 2002321457 A1

L9: Entry 8 of 17

File: DWPI

Jan 13, 2005

DERWENT-ACC-NO: 2003-268328

DERWENT-WEEK: 200506

COPYRIGHT 2006 DERWENT INFORMATION LTD

TITLE: New crystal of protein kinase B beta, useful for activating protein kinases, e.g. AGC kinases, comprises three-dimensional atomic coordinates or a tetragonal space group

INVENTOR: BARFORD, D; CRON, P D; HEMMINGS, B A; YANG, J

PRIORITY-DATA: 2002GB-0009985 (May 1, 2002), 2001GB-0019860 (August 14, 2001), 2002GB-0016215 (July 12, 2002)

### PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
JP 2005500844 W	January 13, 2005		551	C12N015/09
WO 2003016516 A2	February 27, 2003	E	142	C12N009/12
US 20040009569 A1	January 15, 2004		000	G06F019/00
EP 1417302 A2	May 12, 2004	E	000	C12N009/12
EP 1417303 A2	May 12, 2004	E	000	C12N009/12

Page 8 of 13

Record List Display

AU 2002321457 Al March 3, 2003

000 C12N009/12

INT-CL (IPC): C12 N 1/15; C12 N 1/19; C12 N 1/21; C12 N 5/10; C12 N 9/12; C12 N 15/09; C12 N 15/54; G01 N 23/20; G01 N 33/15; G01 N 33/48; G01 N 33/50; G01 N 33/573; G01 R 33/465; G06 F 19/00

ABSTRACTED-PUB-NO: WO2003016516A BASIC-ABSTRACT:

NOVELTY - A crystal of protein kinase B beta (PKB beta ) comprising (I), is new.

DETAILED DESCRIPTION - (I) comprises:

- (a) a tetragonal space group P41212 and unit cell dimensions of: a = 149.33 plus or minus 0.5 Angstrom , b = 149.33 plus or minus 0.5 Angstrom , c = 39.77 plus or minus 0.5 Angstrom ; a = 148.40 plus or minus 0.5 Angstrom , b = 148.40 plus or minus 0.5 Angstrom ; a = 149.70 plus or minus 0.5 Angstrom , b = 149.70 plus or minus 0.5 Angstrom , c = 39.19 plus or minus 0.5 Angstrom ; or a = 149.52 plus or minus 0.5 Angstrom , b = 149.52 plus or minus 0.5 Angstrom , c = 39.06 plus or minus 0.5 Angstrom ; or
- (b) the three-dimensional atomic coordinates listed in the specification.

INDEPENDENT CLAIMS are also included for:

- (1) crystallizing (M1) a PKB derivative;
- (2) determining (M2) the structure of a PKB derivative;
- (3) a PKB polypeptide having an N-terminus corresponding to Lys-146 of human PKB beta;
- (4) a nucleic acid encoding the polypeptide;
- (5) a vector comprising the nucleic acid;
- (6) a host cell comprising the nucleic acid or vector;
- (7) preparing (M3) a polypeptide;
- (8) analyzing (M4) a PKB beta -ligand complex;
- (9) determining (M5) a three-dimensional structure for a target kinase, or for determining three-dimensional atomic coordinate data for a target conformation of a PKB isoform;
- (10) a computer system or computer-readable media containing:
- (a) atomic coordinate data listed in the specification, which defines the threedimensional structure of PKB, or at least its selected coordinates;
- (b) structure factor data derived from the atomic coordinate data;
- (c) a Fourier transform of the atomic coordinate data;
- (d) atomic coordinate data of a target kinase generated by homology modeling of the target based on the data listed in the specification;
- (e) atomic coordinate data of a target kinase generated by interpreting X-ray

Apr 30, 1974

Record List Display

crystallographic data or NMR data by reference to any of the data listed in the specification; or

- (f) structure factor data derived from the atomic coordinate data of (c)-(e);
- (11) modeling (M6) the interaction between PKB and an agent compound that modulates PKB activity;
- (12) identifying (M7) an agent compound that modulates PKB activity;
- (13) a compound identified as a modulator of PKB activity by M7;
- (14) inducing (M8) a catalytic domain of an AGC kinase to adopt an active conformation, where the AGC kinase in its native form is regulated by phosphorylation of a regulatory phosphorylation site residue in a C-terminal regulatory segment distinct from the catalytic domain;
- (15) a non-covalent complex between a catalytic domain of the AGC kinase cited above and an activating agent;
- (16) determining (M9) the structure of an active conformation of a catalytic domain of the AGC kinase cited above;
- (17) assessing (M10) the ability of a candidate compound to modulate the catalytic activity of the AGC kinase; and
- (18) a mutant AGC kinase protein comprising a catalytic domain, a C-terminal regulatory segment distinct from the catalytic domain, and an N-terminus corresponding to residue 139-150 of human PKB beta , or their corresponding residues in other isoforms, and a mutation which enhances the interaction between the regulatory segment and the catalytic domain relative to the wild-type enzyme, such that an active conformation is induced in the catalytic domain.

ACTIVITY - Cytostatic; Antidiabetic; Vasotropic; Nootropic; Neuroprotective.

No biological data given.

MECHANISM OF ACTION - Gene therapy.

USE - The crystal of PKB beta and methods are useful in activating protein kinases, particularly AGC kinases, for identifying modulators of protein kinase activity, and for structural analysis of other protein kinases. The crystal may also be used in manufacturing a medicament for treating cancers, diabetes, erectile dysfunction or neurodegeneration.

Full	Title	Citation Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De
										<b></b>	
	9.	Document ID	: US 38	08190 A							

File: USOC

US-PAT-NO: 3808190

L9: Entry 9 of 17

DOCUMENT-IDENTIFIER: US 3808190 A

TITLE: PROCESS FOR THE PREPARATION OF ASPARTYL DIPEPTIDE ESTERS INVOLVING LITTLE RACEMIZATION

Record List Display Page 10 of 13

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KWIC Draw De

DATE-ISSUED: April 30, 1974

INVENTOR-NAME: BOESTEN W; DAHLMANS J ; DASSEN B

US-CL-CURRENT:  $\underline{560/40}$ ,  $\underline{530/801}$ ,  $\underline{548/497}$ ,  $\underline{548/533}$ ,  $\underline{560/125}$ ,  $\underline{560/153}$ ,  $\underline{560/163}$ ,

560/168, 560/169, 560/39, 560/41CIPG20060101AA23LA23L1

☐ 10. Document ID: US 3772315 A

L9: Entry 10 of 17

File: USOC

Nov 13, 1973

US-PAT-NO: 3772315

DOCUMENT-IDENTIFIER: US 3772315 A

TITLE: PROCESS FOR THE PRODUCTION OF 2-ACYLIMIDAZOLES

DATE-ISSUED: November 13, 1973

INVENTOR-NAME: REGEL E; BUCHEL K

US-CL-CURRENT: <u>546/274.7</u>, <u>548/127</u>, <u>548/233</u>, <u>548/236</u>, <u>548/243</u>, <u>548/244</u>, <u>548/245</u>, <u>548/246</u>, <u>548/247</u>, <u>548/304.7</u>, <u>548/306.1</u>, <u>548/309.4</u>, <u>548/312.4</u>, <u>548/315.1</u>, <u>548/315.4</u>, <u>548/333.5</u>, <u>548/335.1CIPG20060101AC07DC07D233</u>

Full Title	Citation Front	Review	Classification	Date	Reference	Sequences	Altachmenta	Claims	KWIC	Draw, De

☐ 11. Document ID: US 3732232 A

L9: Entry 11 of 17

File: USOC

May 8, 1973

US-PAT-NO: 3732232

DOCUMENT-IDENTIFIER: US 3732232 A

TITLE: PROCESS FOR THE PREPARATION OF IMIDAZOISOQUINOLINEDIONE COMPOUNDS

DATE-ISSUED: May 8, 1973

INVENTOR-NAME: EUE L; REGEL E ; BUCHEL K

US-CL-CURRENT: <u>546/84</u>, <u>504/245</u>, <u>548/304.4</u>, <u>548/335.1</u>, <u>548/343.1</u>,

548/343.5CIPG20060101AC07DC07D471

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Drawt De

☐ 12. Document ID: US 3632843 A

L9: Entry 12 of 17

File: USOC

Jan 4, 1972

US-PAT-NO: 3632843

DOCUMENT-IDENTIFIER: US 3632843 A

TITLE: BIS (PERFLUOROALKYLSULFONYL) METHANES IN CATIONIC POLYMERIZATION

DATE-ISSUED: January 4, 1972

INVENTOR-NAME: BEEBE GEORGE W; ALLEN MICHAEL GEORGE

US-CL-CURRENT: <u>528/45</u>, <u>502/168</u>, <u>525/524</u>, <u>526/217</u>, <u>526/225</u>, <u>526/234</u>, <u>528/109</u>, <u>528/129</u>, <u>528/26</u>, <u>528/28</u>, <u>528/364</u>, <u>528/373</u>, <u>528/408</u>, <u>528/73</u>,

528/90CIPG20060101AC08FC08F4

The Control	Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Drawi De
	_												
			······································				***************************************					·	
		13.	Docume	ent ID	: US 3	427315 A							
	L9:	Entry	13 of 1	17				File: U	SOC		Feb	11,	1969

US-PAT-NO: 3427315

DOCUMENT-IDENTIFIER: US 3427315 A

TITLE: PROCESS FOR PREPARING PURINE DERIVATIVES

DATE-ISSUED: February 11, 1969

INVENTOR-NAME: NOMURA HIROAKI; UNO NORIHIRO ; SUGIMOTO KEIICHI

US-CL-CURRENT: <u>544/265</u>, <u>544/277</u>

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequençes	Attachments	Claims	KWIC	Draw, De
	1.4	Docume	ent ID	. 110 3	420827 A							
اسسا	17.	Docume	ענו אווי	. 033	720021 A							
L9: E	Entry	14 of 1	17				File:	USOC		Jan	7, 3	1969

US-PAT-NO: 3420827

DOCUMENT-IDENTIFIER: US 3420827 A

TITLE: PROCESS FOR MAKING 4,4-DIMETHYL-3-BUTENYL METHYL KETONES, INTERMEDIATES

THEREFOR AND THE SAID INTERMEDIATES

DATE-ISSUED: January 7, 1969

INVENTOR-NAME: LEFFINGWELL JOHN C

 $\text{US-CL-CURRENT: } \underline{544}/\underline{171}; \ \underline{544}/\underline{106}, \ \underline{548}/\underline{573}, \ \underline{560}/\underline{168}, \ \underline{560}/\underline{170}, \ \underline{560}/\underline{172}, \ \underline{568}/\underline{398}, \\$ 

<u>568/417</u>

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWAC	Drawi De

Record List Display Page 12 of 13

☐ 15. Document ID: US 3367910 A

L9: Entry 15 of 17

File: USOC

Feb 6, 1968

US-PAT-NO: 3367910

DOCUMENT-IDENTIFIER: US 3367910 A

TITLE: Modihed organopolysiloxanes and method of preparation

DATE-ISSUED: February 6, 1968

INVENTOR-NAME: NEWING JR CHARLES W

US-CL-CURRENT: 528/19; 252/301.35, 273/DIG.29, 524/175, 524/176, 524/779, 528/20,

528/32, 528/43

Full Title Citation Front Review Classification Date Reference <mark>Sequences Attachments</mark> Claims KMC Draw. De

☐ 16. Document ID: US 3193533 A

L9: Entry 16 of 17

File: USOC

Jul 6, 1965

US-PAT-NO: 3193533

DOCUMENT-IDENTIFIER: US 3193533 A

TITLE: Polymerization of formaldehyde

DATE-ISSUED: July 6, 1965

INVENTOR-NAME: HARDING MANWILLER CARL; BROCKWAY THOMPSON JOHN

US-CL-CURRENT: 528/239, 528/232

Full Title Citation Front Review Classification Date Reference <mark>Sequences Attachments</mark> Claims KMC Draw. De

☐ 17. Document ID: US 2747988 A

L9: Entry 17 of 17

File: USOC

May 29, 1956

US-PAT-NO: 2747988

DOCUMENT-IDENTIFIER: US 2747988 A

TITLE: Method for the recovery of pure iron oxide and iron from oxidic iron ores

DATE-ISSUED: May 29, 1956

INVENTOR-NAME: VON HAKEN KURD

US-CL-CURRENT: 75/10.67; 266/137, 266/163, 266/177, 420/88, 75/10.44, 75/10.58,

<u>75/481</u>, <u>75/503</u>

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Drawt D				
Clear	(a)	Gener	ate Co	llection	Print	Prof	wd Refs	Bkwd	Refs	Gener	ate OA	œs :				
I CONTRACTOR OF STATE			ACTION CAN COMPANY													
	Ter	ms					Documents									
L8 same crystal								17								

Display Format: - Change Format

Previous Page Next Page Go to Doc#

STN SEARCH 10/601,311

FILE 'HOME' ENTERED AT 17:58:14 ON 05 APR 2006 => file .nash => s akt3 or protein kinase b y or pkby 85 FILE MEDLINE 1.1 L2 155 FILE CAPLUS 80 FILE SCISEARCH L3L426 FILE LIFESCI 92 FILE BIOSIS L5 L6 64 FILE EMBASE TOTAL FOR ALL FILES 502 AKT3 OR PROTEIN KINASE B Γ OR PKBΓ => s 17 and crystal and X-ray TOTAL FOR ALL FILES 1 L7 AND CRYSTAL AND X-RAY => s 17 and crystal TOTAL FOR ALL FILES 4 L7 AND CRYSTAL L28 => dup rem 128 PROCESSING COMPLETED FOR L28 4 DUP REM L28 (0 DUPLICATES REMOVED) 1,29 => d ibib abs L29 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2006 ACS on STN ACCESSION NUMBER: 2006:193616 CAPLUS Full-text DOCUMENT NUMBER: 144:249421 TITLE: Crystal structures of Akt3 kinase and its mutants and complexes with thiophene inhibitors and methods for molecular modeling in drug design INVENTOR(S): Bussiere, Dirksen; Fang, Eric; Murray, Jeremy PATENT ASSIGNEE(S): Chiron Corporation, USA PCT Int. Appl., 228 pp. SOURCE: CODEN: PIXXD2 DOCUMENT TYPE: Patent LANGUAGE: English FAMILY ACC. NUM. COUNT: 1 PATENT INFORMATION: KIND DATE PATENT NO. APPLICATION NO. DATE ----Al 20060302 WO 2004-US26569 WO 2006022718 20040813 W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM PRIORITY APPLN. INFO.: WO 2004-US26569 20040813 The atomic coordinates of human Akt3 kinase residues 138-479 and its double mutant T305D/S472D, alone and in complexes with the inhibitors N-[(1S)-2-amino-1-(2,4-mino-1)]dichlorobenzyl)ethyl]-5-[2-(methylamino)pyrimidin-4- yl]thiophene-2-carboxamide or N-[6(aminomethyl)-4-chloro-1,3-benzothiazol- 2-yl]-5-(2-aminopyrimidin-4-yl)thiophene-2-carboxamide, were determined by x-ray crystallog. The present invention relates 3dimensional structure of Akt3 and its mutants, methods for crystallization and the crystals, and to methods for using mol. modeling to design and identify therapeutic

compds. for the treatment of Akt3-mediated diseases.

#### => d 2-3 ibib abs

L29 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2006 ACS on STN ACCESSION NUMBER: 2005:1126670 CAPLUS Full-text

DOCUMENT NUMBER:

143:405912

TITLE:

Preparation of triazole-based compounds, particularly thiotriazoles, exhibiting ATP-utilizing enzyme

inhibitory activity, and compositions, and uses

thereof

INVENTOR(S):

Hodge, Carl Nicholas; Dickson, John K., Jr.; Popa-Burke, Ioana G.; Mendoza, Jose Serafin

PATENT ASSIGNEE(S):

Amphora Discovery Corporation, USA

SOURCE:

PCT Int. Appl., 185 pp.

CODEN: PIXXD2
Patent

DOCUMENT TYPE: LANGUAGE:

English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.					KIND DATE				APPL	ICAT:	ION I	NO.	DATE						
WO 2005097758					A1 2005102			 1020	WO 2005-US10083						20050325				
	W:	ΑE,	AG,	AL,	AM,	AT,	AU,	ΑZ,	BA,	BB,	BG,	BR,	BW,	BY,	BZ,	CA,	CH,		
		CN,	co,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	EG,	ES,	FI,	GB,	GD,		
		GE,	GH,	GM,	HR,	HU,	ID,	IL,	IN.	IS,	JP,	KE,	KG,	KP,	KR,	KZ,	LC,		
							LV,												
							PL,								-				
		SY,	TJ,	TM,	TN,	TR,	TT.	TZ,	UA,	UG,	US,	UZ,	VC.	VN.	YU,	ZA,	ZM.	ZW	
	RW:	BW,	GH,	GM.	KE,	LS,	MW,	MZ,	NA.	SD,	SL.	SZ.	TZ.	UG.	ZM.	ZW.	AM.		
		-	-	-	-		RU,												
							GR,							-	-				
						-	BF,		-										
				SN.				,	,	,	,	,	,	,	- 2,	,	,		
US	2005	•	•				2005	1229	1	US 20	005-9	9095	5		20	00503	325		
	APP										004-				_	00403			
									1	US 20	004-6	53894	14P		P 20	0041	223		

OTHER SOURCE(S):

MARPAT 143:405912

GI

P

$$R3 \xrightarrow{N-N} A^{R1}$$

Preparation of triazoles I [A = S, O, NH and derivs.; R1 = -(CR4R5)n-Q; n = 0-8; R4, R5 = independently H, OH, (un)substituted alkyl; Q = H, S, alkoxy, CO2H and derivs., CN, etc.; R2 = H, (un)substituted alk(en)yl, hetero/aryl, etc.; R3 = H, (un)substituted cyclo/alkyl, hetero/aryl, etc.; with provisos], especially thiotriazole-based compds., and their pharmaceutically acceptable salts, solvates, crystal forms, chelates, non-covalent complexes, and prodrugs exhibiting ATP-utilizing enzyme inhibitory activity (no data), methods of using them, and compns. containing them are described. For example,

II

thiotriazole II was prepared by reacting 4-chlorobenzhydrazide with 2-methoxyphenyl isothiocyanate, cyclization in the presence of NaOH, and alkylation with benzyl 2-bromoacetate (no isolation of the intermediates). I displayed selective activity for one of the following protein kinases or pair of protein kinases: AKT1, CDK2/cyclin A, DAPK1, ABL1, etc. (no data). I are useful for the treatment of at least one of the diseases selected from Alzheimer's disease, stroke, diabetes, obesity, inflammation, and cancer (no data).

REFERENCE COUNT:

THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L29 ANSWER 3 OF 4 SCISEARCH COPYRIGHT (c) 2006 The Thomson Corporation on

STN

ACCESSION NUMBER: 2005:138403 SCISEARCH Full-text

THE GENUINE ARTICLE: 892PM

TITLE: Identification and characterization of

pleckstrin-homology-domain-dependent and

isoenzyme-specific Akt inhibitors

AUTHOR: Barnett S F (Reprint); Defeo-Jones D; Fu S; Hancock P J;

Haskell K M; Jones R E; Kahana J A; Kral A M; Leander K; Lee L L; Malinowski J; McAvoy E M; Nahas D D; Robinson R

G; Huber H E

CORPORATE SOURCE: Merck & Co Inc, Dept Canc Res, W Point, PA 19454 USA

(Reprint); Merck & Co Inc, Dept Biol Chem, W Point, PA 19454 USA; Merck & Co Inc, Dept Bioproc Engn, W Point, PA

19454 USA

stan\_barnett@merck.com

COUNTRY OF AUTHOR: USA

SOURCE: BIOCHEMICAL JOURNAL, (15 JAN 2005) Vol. 385, Part 2, pp.

399-408.

ISSN: 0264-6021.

PUBLISHER: PORTLAND PRESS LTD, 59 PORTLAND PLACE, LONDON W1B 1QW,

ENGLAND.

DOCUMENT TYPE: Article; Journal

LANGUAGE: English

REFERENCE COUNT: 53

AB

ENTRY DATE: Entered STN: 18 Feb 2005

Last Updated on STN: 18 Feb 2005

\*ABSTRACT IS AVAILABLE IN THE ALL AND IALL FORMATS\*

for Akt kinase activity and screened approx. 270000 compounds for their ability to inhibit the three isoforms of Akt. Two Akt inhibitors were identified that exhibited isoenzyme specificity. The first compound (Akt-I-1) inhibited only Akt1 (IC50 4.6muM) while the second compound (Akt-I-1,2) inhibited both Akt1 and Akt2 With IC50 values of 2.7 and 21 muM respectively. Neither compound inhibited Akt3 nor mutants lacking the PH (pleckstrin homology) domain at concentrations up to 250 muM. These compounds were reversible inhibitors, and exhibited a linear mixed-type inhibition against ATP and peptide substrate. In addition to inhibiting kinase activity of individual Akt isoforms, both inhibitors blocked the phosphorylation and activation of the corresponding Akt isoforms by PDK1 (phosphoinositide-

and activation of the corresponding Akt isoforms by PDKI (phosphoinositide-dependent kinase 1). A model is proposed in which these inhibitors bind to a site formed only in the presence of the PH domain. Binding of the inhibitor is postulated to promote the formation of an inactive, conformation. In support of this model, antibodies to the Akt PH domain or hinge region blocked the inhibition of Akt by Akt-I-1 and Akt-I-1,2. These inhibitors were found to be cell-active and. to block phosphorylation of Akt at Thr(308) and Ser(473), reduce the levels of active Akt in cells, block the phosphorylation of known Akt substrates and promote TRAIL (tumour-necrosis-factor-related apoptosis-inducing ligand)-induced apoptosis in LNCap prostate cancer cells.

We developed a high-throughput HTRF (homogeneous time-resolved fluorescence) assay

## => d ibib 4 abs

L29 ANSWER 4 OF 4 EMBASE COPYRIGHT (c) 2006 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 2005387336 EMBASE Full-text

TITLE: Activation of AKT kinases in cancer: Implications for

therapeutic targeting.

AUTHOR: Bellacosa A.; Kumar C.C.; Cristofano A.D.; Testa J.R.
CORPORATE SOURCE: A. Bellacosa, Human Genetics Program, Fox Chase Cancer

Center, Philadelphia, PA 19111, United States

Advances in Cancer Research, (2005) Vol. 94, No. 1 SUPPL., SOURCE:

pp. 29-86. .

Refs: 246

ISSN: 0065-230X CODEN: ACRSAJ

PUBLISHER IDENT .: S 0065-230X(05)94002-5

COUNTRY:

United States

DOCUMENT TYPE:

Journal; General Review

FILE SEGMENT:

Cancer 016

029 Clinical Biochemistry 037 Drug Literature Index

LANGUAGE: English

SUMMARY LANGUAGE: English

ENTRY DATE: Entered STN: 22 Sep 2005

Last Updated on STN: 22 Sep 2005

The AKT1, AKT2, and AKT3 kinases have emerged as critical mediators of signal transduction AB pathways downstream of activated tyrosine kinases and phosphatidylinositol 3-kinase. An ever-increasing list of AKT substrates has precisely defined the multiple functions of this kinase family in normal physiology and disease states. Cellular processes regulated by AKT include cell proliferation and survival, cell size and response to nutrient availability, intermediary metabolism, angiogenesis, and tissue invasion. All these processes represent hallmarks of cancer, and a burgeoning literature has defined the importance of AKT alterations in human cancer and experimental models of tumorigenesis, continuing the legacy represented by the original identification of v-Akt as the transforming oncogene of a murine retrovirus. Many oncoproteins and tumor suppressors intersect in the AKT pathway, finely regulating cellular functions at the interface of signal transduction and classical metabolic regulation. This careful balance is altered in human cancer by a variety of activating and inactivating mechanisms that target both AKT and interrelated proteins. Reprogramming of this altered circuitry by pharmacologic modulation of the AKT pathway represents a powerful strategy for rational cancer therapy. In this review, we summarize a large body of data, from many types of cancer, indicating that AKT activation is one of the most common molecular alterations in human malignancy. We also review mechanisms of activation of AKT kinases, examples of therapeutic modulation of the AKT pathway in animal models, and the current status of efforts to target molecular components of the AKT pathway for cancer therapy and, possibly, cancer prevention. .COPYRGT. 2005 Elsevier Inc.